



Tramar Industries

Surplus CNC Equipment - Moving/Consignment Sale

Ended Feb 27, 2025 1:36pm ET (6:36pm GMT)

42850 West 10 Mile
Novi
Michigan
48375
United States

Lot	Description
1a	1997 Gardner Denver EBE99K09 Air Compressor
1b	1999 Kaeser Model AS31 Air Compressor, Serial #1112
2	Cabinet (99"x 32.5") w/Starret Granite Table (24"x 18")
3a	Pallet Racks
3b	Pallet racks
3c	Pallet Racks 112" x 40" x 97"
3d	Cabinet with contents
3e	1/3 - table w/contents (electrical wire & hardness tester)2/3 - table 23/3 - rack w/contents
4	Mineral Oil Cleaner
5	Bench Table w/Contents & Yellow Vice
6	Powermatic Vertical Band Saw
7	KBC TUM-VSCR Vertical Knee Mill
8	Hyster S150A Fork Truck Lift - 5ft Long Forks x 6" Wide (Delayed removal) Forklift not availble for pickup untill the week of March 31st.
9	Royal T400C Fork Truck Lift 83" Long Forks x 8" Wide40,000 Lbs Capacity, Hoist includedHard TiresLP (Delayed removal) Forklift not availble for pickup untill the week of March 31st.
10	Hyster S60XL Fork Truck Lift 41" Long Forks x 5" Wide (Delayed removal) Forklift not availble for pickup untill the week of March 31st.
11	Lincoln RF80UC80A Horizontal Metal Cutting Band Saw 7"x 12 H/V
12	2007 Speroni Tool Presetter STP46 EZ Vision ** missing computer, software, & viewable projector **
13	40 Ton Reis TUS-90 Hydraulic Spotting Press with Rolling Bolster, Stroke 24", Size of Plates 48"x 36", Flip Down Platten, Manual Roll Out Table With Hydraulic TiltRigging Cost - \$750

14	2011 Makino DUO 64 CNC Wire EDM, s/n:32000, MGW S6 CNC Control, Max Workpiece Size 42.1"x 33.6"x 16.8", Travels X-25.5", Y-15.75", Z-16.54", U/V Travel +/-3.78", Taper Angle 15°, Auto Threading, Wire Alignment Device, SubmergedRigging - \$750
16	2016 Makino MMC2 12 Station Pallet Pool System - Flexible Machining System (FMS), Fits Makino a61/a61nx Machines, (2) Loading/Unloading Stations, 2 Tiers, Does Not Come With Any Machine Pallets, Accepts 500mm x 500mm Pallet, Bar Code Reader, Data Server With Buffer, New Price: \$500,000.00, Use ...[more]
19	2015 DMG Mori Wasino S10 CNC Lathe - Twin Turret, Live Tooling, Y Axis,s/n: 1501503CNC Control Fanuc 31i-Model B# of Axis 8Swing12.2"Turning Diameter 10.24"Center Distance 10.63"Chuck Size 6"X Axis Travel: 5.91"X2 Travel: 5.91"Z Axis Travel: 13.39"Z2 Travel: 13.39"C Axis Index: 0.001° ,&nb ...[more]
20	2015 DMG Mori Wasino S10 CNC Lathe - Twin Turret, Live Tooling, Y Axis, s/n: 1501504. Equipped with Gantry Automated Loading System.CNC Control Fanuc 31i-Model B# of Axis 8Swing12.2"Turning Diameter 10.24"Center Distance 10.63"Chuck Size 6"X Axis Travel: 5.91"X2 Travel: 5.91"Z Axis Tra ...[more]
21	2015 DMG Mori Wasino S10 CNC Lathe - Twin Turret, Live Tooling, Y Axis s/n: 150602CNC Control Fanuc 31i-Model B# of Axis 8Swing12.2"Turning Diameter 10.24"Center Distance 10.63"Chuck Size 6"X Axis Travel: 5.91"X2 Travel: 5.91"Z Axis Travel: 13.39"Z2 Travel: 13.39"C Axis Index: 0.001° ...[more]
22	2015 DMG Mori Wasino Model S10 CNC Lathe - Twin Turret, Live Tooling, Y Axis, s/n: 150604. Equipped with Hantry Automated Loading SystemCNC Control Fanuc 31i-Model B# of Axis 8Swing12.2"Turning Diameter 10.24"Center Distance 10.63"Chuck Size 6"X Axis Travel: 5.91"X2 Travel: 5.91"Z Axis Trav ...[more]
23	2003 Mazak VCN-510C CNC Vertical Machining Center s/n: 162613,Mazatrol 640MN CNC Control,Table Size 51.18"x 21.65",Travels X-41.3", Y-20.08, Z-20.08",Rapid Traverse Rate: 1417 ipm,CAT 40 Spindle Taper, 12,000 rpm, 25 hp,30 Station ATC Tool Changer,Chip Conveyor, Coolant Tank, Auto Tool Length ...[more]
24	2006 Doosan DHP-4000 CNC Horizontal Machining Center, s/n: HP410058, Fanuc 18i-MB Control, Pallet Size 15.75" x 15.75", Max Pallet Load 880 lbs, Travels X-23.6", Y-22.05", Z-23.6", 1 Degree B Axis Indexing, CAT 40, 14,000 rpm, 30 hp, 60 Station ATC, Chip Conveyor, Coolant Tank & Pump, Coolant Th ...[more]
25	2013 Samsung Model MCV50 CNC Vertical Machining Center, s/n: 131500079. Fanuc 0i-MD CNC Control, Table Size: 36.22" x 19.69", Table Load: 1,322 lbs, Travels (X/Y/Z): 35.43" / 19.69" / 20.08", CAT 40 Big Plus 10,000 rpm 30 Station ATC, Chip Conveyor, Coolant Tank, Coolant Thru Spindle, Spindle Ch ...[more]
26	2013 Samsung Model MCV50 CNC Vertical Machining Center, s/n: 131500080. Fanuc 0i-MD CNC Control, Table Size: 36.22" x 19.69", Table Load: 1,322 lbs, Travels (X/Y/Z): 35.43" / 19.69" / 20.08", CAT 40 Big Plus 10,000 rpm 30 Station ATC, Chip Conveyor, Coolant Tank, Coolant Thru Spindle, Spindle Ch ...[more]
27	2013 Toyoda JTEKT GL6P-32II OD Cylindrical CNC Grinder, Machine #RF-5740. Swing 12.6", Center Distance 12.6", Grinding Wheel Diameter 24", Grinding Wheel Width 6.3", Wheelhead Straight, Max Load Between Centers 660 lbs, X-Axis Travel (wheelhead Infeed) 16", Z-Axis Travel (Table Traverse) 16",C Axis ...[more]
28	2013 Toyoda JTEKT GL6P-32II OD Cylindrical CNC Grinder, Machine #RF-5739. Swing 12.6", Center Distance 12.6", Grinding Wheel Diameter 24", Grinding Wheel Width 6.3", Wheelhead Straight, Max Load Between Centers 660 lbs, X-Axis Travel (wheelhead Infeed) 16", Z-Axis Travel (Table Traverse) 16",C Axis ...[more]
29	2006 YCM TV-158B CNC Vertical Machining Center, s/n: 0284. Fanuc MPX200I Control, Table Size 66.9" x 33.8", Max Table Load 4,409 lbs, Travels X-59", Y-33.8", Z-29.5", CAT 50, 10,000 rpm, 40 hp, 32 Station ATC, Coolant Tank & Pump, Chip AugerRigging - \$1,000

30	2009 Sharp LMV42 Vertical Knee Mill, s/n: 60924206, Table Size 42"x 9", Table Travel 36" x 12" x 5", Ram Travel 12", Knee Travel 16", Main Motor 3 hp, Spindle Taper R-8, Spindle Speed 4500 rpm, Head Swivel, 360 Deg Head Tilt 45° Degrees, Machine Weight 2,400 pounds, Sony DRO, One Shot Lube System, H ...[more]
32	2007 Mazak Variaxis 500-5XII CNC Vertical Machining Center 5-Axis w/Pallet Changer, s/n: 200386.Mazatrol Matrix Control,Table Size 19" x 15", Max Table Load 661 lbs,Travels X-20", Y-20", Z-18", B Axis Rotary 0.001° Deg, A-axis Rotation -120° to +30°,HSK-63A, 12,000 rpm, 30 hp,40 Station ATC,Co ...[more]
33	2007 Mazak Variaxis 500-5XII CNC Vertical Machining Center 5-Axis w/Pallet Changer, s/n: 200386.Mazatrol Matrix Control,Table Size 19" x 15",Max Table Load 661 lbs,Travels X-20", Y-20", Z-18", B Axis Rotary 0.001° Deg, A-axis Rotation -120° to +30°,HSK-63A, 12,000 rpm, 30 hp,40 Station ATC,Co ...[more]
36	2006 Makino SP 64 CNC Wire EDM, s/n: W-8097.Makino MGW-SIII CNC Control,Max Workpiece Size 44.8" x 39.4",X-Axis Travel 25.6", Y-Axis Travel 15.7", Z-Axis Travel 16.2", U/V Travel +/- 3.97",Taper Angle 15° DegreesRigging Cost - \$750
37	2013 Makino Duo 64 CNC Wire EDM, s/n: W130269. MGW S6 CNC Control, Max Workpiece Size 42.1" x 33.6" x 16.8", X-Axis Travel 25.5 inches,Y-Axis Travel 15.75 inches, Z-Axis Travel 16.54 inches, U/V Travel +/- 3.78", Taper Angle 15°, - Automatic Threading - Submerged - Wire Alignment Device - Hand Contr ...[more]
38	2000 Beckwood 31 Ton Hydraulic Press - Serial Number 26582Year 2000Tonnage 31 tonsStroke 10 inchesDaylight 19 inchesPower 7.5 horsepowerBed Width 38 inchesBed Length 42 inchesIPM 46 inches-per-minuteCNC Control noTonnage 31 Forming 22 PunchingSize of Plates 42" X 38"Daylight 19"Vertical Stroke ...[more]
39	2005 Fadal VMC-4020HT CNC Vertical Machining Center, s/n: 012004106965.CNC Control: yesControl Type: Fadal CNC Multiprocessor# Axis: 3Table Size: 48" x 20"Table Capacity: 3,000 poundsX-Axis Travel: 40"Y-Axis Travel: 20"Z-Axis Travel: 20"Spindle Taper: CAT 40Spindle Speed: 10,000 rpmMain Motor: 22.5 ...[more]
40	2006 Haas VF-3DYT CNC Vertical Machining Center, s/n: 1053079.# Axis: 3Table Size: 54" x 24"Table Capacity: 3,500 poundsX-Axis Travel: 40"Y-Axis Travel: 26"Z-Axis Travel: 25"Rapid Traverse Rate (X/Y/Z): 1,000 ipmSpindle Taper: CAT 40Spindle Speed: 7,500 rpmMain Motor: 20 hpTool Changer Capacity: 24 ...[more]
41	Mori Seiki MV Junior CNC Vertical Machining Center, s/n: 4242CNC ControlyesControl TypeFanuc MF-M4# Axis4Table Size35.4" x 16"X-Axis Travel22"Y-Axis Travel16.1"Z-Axis Travel18.1"Rapid Traverse Rate (X/Y/Z)591 ipmSpindle TaperCAT 40Spindle Speed8,000 rpmMain Motor10 hpTool Changer Capacity20Machine ...[more]
42	2008 Tornos Deco 20A CNC Swiss Lathe Machine s/n: 8641 w/12ft lemca BarfeederRigging - \$750
43	2012 OKK HM800s CNC Horizontal Machining Center, s/n: 403. CNC Control Fanuc 31i-Model A5, # Axis 4, Pallet Length 31.5 inches, Pallet Width 31.5 inches, Pallet Load Capacity 2500 pounds, Pallet Indexing (B-Axis) 1° Degree , X-Axis Travel 41.3 inches, Y-Axis Travel 35.4 inches, Z-Axis Travel 34.6 in ...[more]
44	2006 Mori Seiki NT4200/1000SZ CNC Multi-tasking Lathe, s/n: NT420FI0103. 9 Axis, Swing 28.7 inches, Turning Diameter 25.9 inches, Turning Diameter Lower Turret 13.7", Center Distance 42.5 inches, Bar Capacity 2.5 inches, X Axis Travel 29.5 inches, X2 Axis Travel 7.7", Y Axis Travel 8.3 inches, Z Axi ...[more]
45	1997 Mori Seiki TL-40B/3000 CNC Lathe, s/n: 2192. MSC-518 CNC Control, 2 Axis, Swing 24.4", Turning Diameter 14.9", Center Distance 118.11", Chuck Size 12", X-Axis Travel 9.3", Z-Axis Travel 115.4", Spindle Speed 2,000 rpm, Main Motor 30 hp, Turret Capacity 10 Stations, Tailstock, Machine Weight 21 ...[more]
48	Okamoto ACC 124N Surface Grinder. Serial #7342. Year: 1986, - 12" x 24" Electromagnetic Chuck - Incremental Downfeed - Hydraulic Table Feed - Coolant System - Dresser

49	2014 Hardinge GS-51MS CNC Lathe, s/n: BLBB4D0023. Fanuc 0i-TD, 4 Axis, Swing 18 inches, Max Turning Length 15.98 inches, Turning Diameter 11.1 inches, Center Distance 16 inches, Bar Capacity 2 inches, X Axis Travel 6.023 inches, Z Axis Travel 16 inches, C Axis Index 0.001°, Rapid Traverse (X/Z) 1181 ...[more]
50	2011 Mori Seiki SL-403C/2000 CNC Lathe, s/n: SL400KE1236. MSX-500IV CNC Control, 36.8" Swing, 91.5" Center Distance, 21" Kitagawa Chuck, 6.5" Bar Capacity, A2-15 Spindle Nose, 1,500 rpm Spindle Speed, 50 hp, 12 Station Turret, SMW Hydraulic Steady Rest, High Pressure Coolant, Hydraulic Tailstock, Ch ...[more]
51	2011 Haas DS-30SSY CNC Lathe, s/n: 3087831. Haas CNC Control, 5 Axis, Swing 31.75 inches, Turning Diameter 16 inches, Center Distance 23 inches, X Axis Travel 12.5 inches, Y Axis Travel 4 inches, Z Axis Travel 23 inches, C Axis Index 0.001°, Spindle Nose A2-6, Spindle Speed 4,800 rpm, Main Motor 30 ...[more]
52	2005 Haas VF-2B CNC Vertical Machining Center, s/n: 45497. Haas CNC Control, Table Size 36" x 14", Table Capacity 3000 pounds, X-Axis Travel 30 inches, Y-Axis Travel 16 inches, Z-Axis Travel 20 inches, Spindle Taper CAT 40, Spindle Speed 7,500 rpm, Main Motor 20 hp, Tool Changer Capacity 24 Stations ...[more]
53	2014 Haas ST-20 CNC Lathe, s/n: 3098848. Haas CNC Control, 2-Axis, Swing 21 inches, Max Turning Length 22.5 inches, Turning Diameter 11.75 inches, Center Distance 22.5 inches, Chuck Size 8 inches, Bar Capacity 2.5 inches, X Axis Travel 8.40 inches, Z Axis Travel 22.50 inches, Rapid Traverse (X/Z) 94 ...[more]
55	2009 Mazak VCN-510C-II CNC Vertical Machining Center, s/n: 215193. Mazatrol Mazak Nexus, 3-Axis, Table Size 51.18" x 21.65", Table Capacity 2640 pounds, X-Axis Travel 41.3 inches, Y-Axis Travel 20.08 inches, Z-Axis Travel 20.08 inches, Spindle Taper CAT 40, Spindle Speed 12,000 rpm, Main Motor 25 hp, ...[more]
56	2012 Mighty Viper VMC-1100 CNC Vertical Machining Center, Mitsubishi M700 CNC Control s/n: 018006, Table Size 50" x 24", Max Table Load 2,640 lbs, Travels X-43", Y-24", Z-24", CAT 50, 6,000 rpm, 24 Station Tool Changer ATC, Chip Blaster, Belt Style Chip Conveyor Rigging Cost - \$1,250
57	2007 Mighty Viper VMC-1100AG CNC Vertical Machining Center Mitsubishi M700 CNC Control s/n: 010109, Table Size 50" x 24", Max Table Load 2,640 lbs, Travels X-43", Y-24", Z-24", CAT 50, 6,000 rpm, 24 Station Tool Changer ATC, Chip Blaster, Belt Style Chip Conveyor Rigging Cost - \$1,250
58	2004 Deckel Maho DMU 80T CNC Vertical Machining Center s/n: 1113 000579 3, Heidenhain MillPlus IT CNC Control, Table Size 49.2" x 27.56", Max Table Load 1,322 lbs, Travels X-34.64", Y-24.8", Z-24.8", CAT 40, 18,000 rpm, 32 Station Tool Changer ATC, Hoffman RW/NC-220 4th Axis Rotary Table
59	2014 Iemca Kid 80 CNC Bar Feeder s/n: 021448QA01 Came off a Mori Seiki NZX-2000 machine. 85"x 48"x 48 Rigging Cost - \$500
61	2008 Hwacheon Hi-Tech 200a CNC Lathe with Live Tooling - s/n: M013356A5F A Control Type: Fanuc 0i-TC# Axis: 3 Swing: 19.7" Turning Diameter: 12.8" Center Distance: 12.54" Chuck Size: 8" Bar Capacity: 2.0" X Axis Travel: 7.68" Z Axis Travel: 16.93" C Axis Index: 0.001° Rapid Traverse (X/Z): 1,181 ipm Spindle No ...[more]
62	2008 Fadal VMC-4020FX CNC Vertical Machining Center, s/n: 012008031501 Fanuc 0i-MC CNC Control, 3-axis, Table Size 48" x 20", Travels X-40", Y-20", Z-20", CAT 40, 10,000 rpm, 24 Station ATC, Chip Conveyor, Coolant Tank & Pump Rigging - \$500
63	2003 Ingersoll Gantry 800 CNC Sinker EDM, Serial #575231, Mitsubishi CNC Control, Table Size 39.4" D x 29.9" W, Worktank Size 31.5" x 43.3" x 18.8", Maximum Workpiece Weight 4409 lbs, X-Axis Travel 21.6 inches, Y-Axis Travel 33.49 inches, Z-Axis Travel 17.7 inches, Maximum Electrode Weight 440 lbs, ...[more]
64	2017 Tensile Mill Torrent 80 CNC Vertical Machining Center, Serial # 350317002 PC Based Mach4 CNC Control, 3-Axis, Table Size 31.5" x 9.4", Table Capacity 330 lbs, X-Axis Travel 15.7 inches, Y-Axis Travel 9.1 inches, Z-Axis Travel 15.7 inches, Rapid Traverse Rate (X/Y/Z) 1000 ipm, Spindle Taper BT 3 ...[more]

65	2014 Haas TM-1P Used CNC Vertical Machining Center, Serial #1114315, Tool Room MillTable Size 47.74" x 10.75", Table Capacity 300 pounds, X-Axis Travel 30 inches, Y-Axis Travel 12 inches, Z-Axis Travel 16 inches, Spindle Taper CAT 40, Spindle Speed 6,000 rpm, Main Motor 7.5 hp, 10 Station Tool Chan ...[more]
66	2008 Doosan Lynx 220a CNC Lathe with 12ft Bar Feeder, Serial #L2203176Fanuc i-Series, 2-Axis, Swing?20.1 inches, Max Turning Length 12.6 inches, Turning Diameter??12.6 inches, Center Distance???12.6 inches, Chuck Size??6 inches Bar Capacity 1.77 inches, X Axis Travel 6.9 inches, Z Axis Travel 12.99 ...[more]
67	2001 Fadal VMC-4020 CNC Vertical Machining Center, Serial #012001092780Fadal Multi Processor CNC, 3-Axis, Table Size 48" x 20", Table Capacity 3641 pounds, X-Axis Travel 40 inches, Y-Axis Travel 20 inches, Z-Axis Travel 20 inches, Rapid Traverse Rate (X/Y/Z) 900/900/700 ipm, Spindle Taper CAT 40, S ...[more]
68	2006 Fadal VMC-6030HT CNC Vertical Machining Center, Serial #012006079092,Fadal 32MP, 3-Axis, Table Size 62.5" x 30", Table Capacity 4120 pounds, X-Axis Travel 60 inches, Y-Axis Travel 30 inches, Z-Axis Travel 30 inches, Spindle Taper CAT 40, Spindle Speed 10,000 rpm, Main Motor 22.5 hp, 24 Station ...[more]
69	2016 DMG Mori NZX-S1500/500 CNC Lathe, Serial #NZS15160804Fanuc F32iB, 4-Axis, Swing 11.2 inches, Turning Diameter 4.7 inches, Center Distance 21 inches, Chuck Size 10 inches, Bar Capacity 1.6 inches, X Axis Travel 2.4 inches, Z Axis Travel 22.8 inches, Rapid Traverse (X/Z) 787/1181 ipm, Spindle No ...[more]
70	2007 Okuma MB-46VAE CNC Vertical Machining Center, Serial #130450Okuma OSP-P200M CNC Control, 3-Axis, Table Size 39.37" x 18.11", Table Capacity 1540 pounds, X-Axis Travel 30 inches, Y-Axis Travel 18.11 inches, Z-Axis Travel 18.11 inches, Rapid Traverse Rate (X/Y/Z) 1575/1575/1260 ipm, Spindle Tape ...[more]
71	2005 Studer S120 CNC Universal Cylindrical Grinder - 2 Spindles, Serial #008-001Fanuc CNC Control, Swing 11.8 inches, Center Distance 9.8 inches, Workhead Taper MT5, Workhead Speed 1,200 rpm , Workhead Motor 2.2 horsepower, X-Axis Travel 20.5 inches, Z-Axis Travel 9.8 inches, Machine Weight 8000 po ...[more]
72	2007 Hardinge-Bridgeport Model XR1500 CNC Vertical Machining Center, Serial #204LC082,Fanuc Oi-MB, 3-Axis, Table Size 67" x 27.55", Table Capacity 3300 pounds, X-Axis Travel 59.05 inches, Y-Axis Travel 26 inches, Z-Axis Travel 24 inches, Rapid Traverse Rate (X/Y/Z) 1,417/1,417/787 ipm, Spindle Tape ...[more]
73	2012 Amada PCSAW700 CNC Horizontal Dual Column Bandsaw, Serial #70950068Windows Control, Cutting Capacity - Round 27.56 inches, Cutting Capacity - Square 31.49" x 27.56" , Max Table Load 17640 pounds, Remnant Length 1.77 inches, Blade Size (L x T x W) 326.77" x 0.06" x 2.63" , Blade Speed 15-80 m/m ...[more]
74	2006 Okuma MC-V4020 CNC Vertical Machining Center, Serial #127085-0936OSP-P200M CNC Control, 3-Axis, Table Size 48" x 20", Table Capacity 1500 pounds, X-Axis Travel 40 inches, Y-Axis Travel 20 inches, Z-Axis Travel 17.72 inches, Rapid Traverse Rate (X/Y/Z) 1417/1417/1181 ipm, Spindle Taper CAT 50, ...[more]
75	2008 Okuma MB-56VA CNC Vertical Machining Center, Serial #129195OSP-P200M # Axis3 Table Size 51.18" x 22.05 Table Capacity 1980 pounds, X-Axis Travel 41.34 inches, Y-Axis Travel 22.05 inches, Z-Axis Travel 18.11 inches, Rapid Traverse Rate (X/Y/Z)1575/1575/1260 ipm, Spindle Taper CAT 40, Spindle Sp ...[more]
76	2016 JTEK Toyoda GL-6P 32II Plain Cylindrical CNC GrinderToyoda GC-70 CNC Control, Wheelhead (Angle / Straight / Universal) Straight, Swing 12.6 inches, Centers 12.6 inches, Grinding Wheel Dia. 24 inches, Grinding Wheel Width 6.3" Max Load Between Centers 660 pounds, X-Axis Travel (wheelhead Infeed ...[more]
77	2007 Mori Seiki NT4200/1000SZ Multi-Tasking CNC Lathe, Serial #NT420GE0130Fanuc CNC Control, 9-Axis, Swing 28.7 inches, Turning Diameter 25.9 inches, Turning Diameter Lower Turret 13.7", Center Distance 42.5 inches, Bar Capacity 2.5 inches, X Axis Travel 29.5 inches, X2 Axis Travel 7.7", Y Axis Tra ...[more]

79	2005 Makino V77 CNC Vertical Machining Center, Pro 5 CNC Control, s/n: 296, Table Size 55.1" x 27.6", Max Table Load 5,500 lbs, Travels X-47.2". Y-27.6", Z-25.6", HSK-63, 20,000 rpm, 30 Station Tool Changer ATC, Chip Conveyor, Coolant Tank, Blum Tool Length Measurement, New Spindle insta ...[more]
80	2004 Makino V77 CNC Vertical Machining Center, Pro 5 CNC Control s/n: 239, Table Size 55.1" x 27.6", Max Table Load 5,500 lbs, Travels X-47.2". Y-27.6", Z-25.6", HSK-63, 20,000 rpm, 30 Station Tool Changer ATC, Chip Conveyor, Coolant Tank, Blum Tool Length Measurement Rigging Cost - \$3,000
81	2005 Makino E33 CNC Vertical Machining Center, Professional 5 CNC Control, Table Size 35.5" x 19.7", Travels X-25.6", Y-17.7", Z-17.7", Spindle Speed 40,000 rpm, HSK E-32, 30 Station Tool Changer Rigging Cost - \$2,000
82	2013 Mazak M-5N CNC Flat Bed Lathe Type of CNC Control: Mazatrol 640 # Axis 2 Swing: 24" Turning Diameter: 24" Center Distance: 80" Chuck Size: 22" X-Axis Travel: 22" Z-Axis Travel: 80" Rapid Traverse (X/Z): 551 ipm Spindle Speed: 1000 rpm Main Motor: 30 hp Turret Capacity: 14 Positions Tai ...[more]
83	2005 Tarus HSOHTB 810 5-Axis CNC Bridge/Gantry Machining Center (3+2) Serial #HSOHTB1878007 CNC Control: Yes Control Type: Windows PC Based # Axis: 5 X-Axis Travel: 118" Y-Axis Travel: 98" Z-Axis Travel: 43" B Axis Rotary: 0-360° Degrees A Axis Rotation: 0-45° Degrees Spindle Taper: CAT 50 Spindle Speed: 6,0 ...[more]
84	2004 Kitamura MyCenter 2XiF Sparkchanger CNC Vertical Machining Center, Serial #07671, Fanuc 16i-MB CNC Control Table Size (x2)..... 14" x 22" Maximum Table Load..... 220 Lbs. X-Axis Travel..... ...[more]
85	Pallet with NEW ABB TMAX T3N225TW CONTACTORS USED NEMATRON ICC-5000-CNC CONTROL UNITS NEW SHIN MYUNG CES TYPE LUBE UNITS REXNORD TOP CHAIN BWR1863TK2.25 MITSUBISHI CURVIC COUPLING SET 20216-163X/VI-1/V0-1
86	Pallet with Fanuc Drives A06B-6087-H130 A06B-6087-H126 A06B-6078-H202 A06B-6079-H205 A06B-6079-H104
87	Pallet with Fanuc Drives- A06B-6087-H130- A06B-6087-H126- A06B-6078-H101- A06B-6079-H104
88	Pallet with Fanuc Drives- A06B-6087-H130- A06B-6088-H230- A06B-6102-H222- A06B-6096-H106- A06B-6087-H208- A06B-6079-H106
89	Pallet with GE Fanuc Drives- GE FANUC DRIVE AF-300B- GE FANUC DRIVE AF-300E\$
90	Pallet with Fanuc Drives- A06B-6087-H130- A06B-6079-H101- A06B-6096-H208- NEMATRON ICC-5000-CNC CONTROLS
91	Pallet with Fanuc Drives- A06B-6079-H103- A06B-6079-H104- A06B-6079-H106- A06B-6087-H130- A06B-6093-H154- A06B-6089-H106- A06B-6087-H126- UNKNOWN MITSUBISHI DRIVES- NEMATRON ICC-5000-CNC CONTROLS + PANEL COVERS
92	Pallet with Fanuc Drives & Boards- Fanuc Boards A16B-2203-0080/01A- A16B-2203-0080/02B- A16B-2202-0560/02A- A16B-2200-0941/05A- A20B-2000-0650/01A- A16B-1212-0720-01A- A16B-2201-0856/03B- A16B-2203-0031/02B- A16B-2203-0031/02B- A16B-3200-0054/03A- A16B-2202-0401/06A- A16B-1212-0871/1 ...[more]
93	AeroGo 20 Ton Transporter System In Crate, Never Used - LIKE NEW NEW UNUSED MFG IN 2011, AEROGO MODEL 20 T TRANSPORT SYSTEM. 32,000LB WORKING CAPACITY, 40,000 MAX PALLET CAPACITY, 22.4" TO 58.4" AUX LIFT TABLE HEIGHT, 0-33" PER MINUTE DRIVE SPEED AND (2) SEPARATE AERO-DRIVES INDEPENDENT OPERATION OF ...[more]

94	2005 OKK HP500S CNC Horizontal Machining Center, s/n: 173, Mfg #MA71556,Fanuc 180is-MB CNC Control,4-axis,Pallet Size 19.7" x 19.7",Full B-axis 0.001 degrees,Travels X-24.8", Y-24.4", Z-23",CAT 40, 12,000 rpm, 30hp,60 Station ATC,Chip Conveyor, Coolant Tank & Pump, Coolant Thru Spindle& ...[more]
95	2014 Jet JTM-1050 Vertical Knee Mill with Acu-Rite DRO - Serial #14190462Table Size50" x 10" Max Weight On Table840 lbs Table Travel35.3" SaddleTravel14.75" Knee Travel16.12" Ram Travel15.87" Spindle TaperR-8 Spindle Speed (RPM)Low 80-500 rpm High 700 - 3,800 rpm Spindle Motor3 h ...[more]
96	2012 Acer EVS-3VKH-54 Vertical Knee Mill with Acu-Rite DRO - Serial #N12040126Table Size54" x 10" Table Travel36.5" SaddleTravel17" Knee Travel19" Ram Travel20" Max Quill Travel5" Spindle TaperR-8 Spindle Speed (RPM)4,500 rpm Spindle Motor3 hp Head Tilt45° Tilt Front to Back 90 ...[more]
97	2014 Sharp VH-3 CNC Vertical/Horizontal Knee Mill w/DRO - Serial #2B655Type of CNC ControlAcu-Rite # Axis3 Table Size51.19" x 11.81" X-Axis Travel37.38 inchesY-Axis Travel14.81 inchesZ-Axis Travel5.12 inchesSpindle TaperNT 40 Spindle Speed3,600 rpm Main Motor7.5 hp Machine Dimensi ...[more]
98	2021 Kawasaki BX200L-C CNC Industrial Robot # Axis 6 Payload 200 kilograms Horizontal Reach 102 inches - Kawasaki Cubic-S Safety System - Kawasaki PendantRigging Fee - \$150 will be added to the invoice
99	1999 Chevalier FSG-3A1224H Reciprocating Surface Grinder, Type of CNC Control3A Series Incremental Downfeedyes Table Size12" x 24" Max Table Load924 poundsX-Axis Travel25.6 inchesY-Axis Travel14.17 inchesZ-Axis Travel21 inchesSpindle (Horz/Vert)vertical Grinding Wheel Dia.14 inches ...[more]
100	Okamoto PFG-618 Surface Grinder w/Mitutoyo Linear Scale for Y & Z DRO
101	2018 DMC DL30L CNC Lathe, Serial #L30L0069, Fanuc 0i-TF CNC Control # Axis 2 Swing 24.02 inches Turning Diameter 15.75 inches Center Distance 83.86 inches Chuck Size 12 inches Bar Capacity 3.54 inches X Axis Travel 9.06 inches Z Axis Travel 83.86 inches Rapid Traverse (X/Z) 787/708 ipm Spindle Nose ...[more]
102	Acu-Rite 2X Mill D200 Digital Readout ControllerPN - 2001002Good for 2-axis knee mill
103	Acu-Rite 2X Turn D200 Digital Readout ControllerPN:2001004Good for 2-axis lathe
104	2020 Mitsubishi RV-7FR-D 15.4lb Industrial Robot System - Brand New In BoxType of CNC Control Mitsubishi Payload 15.4 poundsHorizontal Reach 28.07 inchesSpeed 435 ipm Weight 150 pounds- Brand New in Original Packaging- Mitsubishi Control & Pendant- Install on Floor, Ceiling or Wall- 0.02mm Repe ...[more]