

LIQUIDATION

MAKE AN APPOINTMENT TO INSPECT NOW!

For Upcoming Machinery
Liquidations and Auctions:

www.flsales.com or
www.eurosource-usa.com

ASSETS FROM BINGHAM & TAYLOR CORP FOUNDRY

LOCATION: 601 NALLE PL., CULPEPER, VA. 22701

To View, Please Contact: (440) 463-1530 or (773) 860-5142

This is a very special liquidation with assets as new as 2023 and most items 2019 or newer!

ALL ASSETS OFFERED ON A FIRST COME BASIS!



Large QTY of lots for sale! Large QTY of lots for sale! Featuring a 2021 Inductotherm 3000 kW DT-2 Induction Melting System with Dual 4 MT Steel-Shell Furnaces, 3- 2023 and 2019 Sinto Molding and handling Lines with PLC Controls, 4- Osborn 722RJW molding machines, Redford HS22 and B and P 10A core machines, 2021 Didion MD200 Rotary Media Drum Shakeout, 2018 Kaeser Compressor and Air Dryer Package, 3- 44,000 to 20,000 cfm Dust Collection/Baghouse Systems, Vibratory Shakeout and Conveyor Equipment, Bridge Cranes and Electric Hoists, Foundry Ladles, Wheelabrator 8' Blast Cabinet, Snag and Swing-Frame Grinders, Circular Lifting Magnet and More!



FL Sales Inc.
Equipment, Appraisals, Liquidations, Auctions

PO Box 39575, Solon, Ohio 44139
Phone: (440) 463-1530 Email: jgreene@flsales.com

In Conjunction
With:



2321 N Loop Dr., Ames, IA 50010
Phone: (773) 860-5142 Email: eurosource@mac.com

MELTING


2021 INDUCTOTHERM MELT SYSTEM WITH 2- TRAVELING CHARGE FEEDERS WITH SCALES, INDUCTOTHERM TYPE 3000 DT-2 ACF-2 3000 KW POWER SUPPLY RATED AT 300 H. S/N 21H-381478-246-11 INTERCONNECTING BUSS AND CABLES, 2- 4METRIC STEEL SHELL FURNACES WITH STANDS, HYDRAULIC SYSTEM , WATER SYSTEM WITH TWIN 50HP PUMPS, 2021 EMSCO MODEL HYPRO25 STAINLESS STEEL HEAT EXCHANGER , RELATED PIPING, CONTROLS, REMOTE OPERATORS STAND, RELATED CONTROLS, LINING PUSHOUT, SONMEZ INCOMING POWER TRANSFORMER TYPE HTYAA3KH-326623 S/N 15729 RATED AT 3260-4025 KVA, 12,470 VOLT PRIMARY VOLTS, 2X575 SECONDARY VOLTS, SPARE INCOMING TRANSFORMER SAME AS ABOVE S/N 15364

2021 UESCO 10-TON TOP RUNNING BRIDGE CRANE S/N 21-4861, APPROX. 50' SPAN, RADIO CONTROLLED, EQUIPPED WITH MAGNET CONTROLS


WALKER MODEL 54SH CRANE MAGNET 54" DIAMETER ELECTRONITE QUICKLAB SYSTEM WITH MONITOR AND HERAEUS SENSOR LAB FOUNDRY WITH STANDS

(2) HERAEUS QUBE TEMPERATURE INDICATOR WITH DIGITAL READOUT

2021



2021



2021



2021



2021



2021



2021



POWER SUPPLY CONTROL

INDUCTOTHERM S/N: 21H-381478-246-11
SUPPLY: 3261 KVA, 6 PHASE, 60 HZ
575 VAC, 1631 AMPS, 88 PF
OUTPUT: 3000 KW, 2200 VOLTS
1600 AMPS, 300 HZ

INDUCTOTHERM RANDOLPH, N.J. 82178-1-AL-EN-82



POWER SUPPLY TYPE
DESIGNED TO OPERATE WITH
FOR THE FOLLOWING APPLICATION
AIR MELT-URON

MOLDING

2023 SINTO MODEL FDNX-I LEFT HAND AUTOMATIC MOLDING MACHINE S/N 22609749010, WITH HYDRAULIC SYSTEM, CONTROLS, APPROX. MOLD COUNT 401,180, FEED BELT CONVEYOR WITH DRIVE

2023 SINTO 2-LINE MOLD HANDLING SYSTEM, 21 MOLDS PER SIDE, MOLD TRANSFERS, HYDRAULIC SYSTEM AND CONTROLS, WEIGHTS AND JACKETS, WEIGHT AND JACKET SHIFTER, MOLD PUSH OFF

2023 CONVEYOR DYNAMICS MODEL 36X55.8-C 36" X 55' HEATED OSCILLATING CONVEYOR S/N CDC-2846 WITH DRIVE, HOOD

2019 SINTO MODEL FDNX-I LEFT HAND AUTOMATIC MOLDING MACHINE S/N 19605412010, WITH HYDRAULIC SYSTEM, CONTROLS, APPROX. MOLD COUNT 725,834, FEED BELT CONVEYOR WITH DRIVE

2024 SINTO 2-LINE MOLD HANDLING SYSTEM, 21 MOLDS PER SIDE, MOLD TRANSFERS, HYDRAULIC SYSTEM AND CONTROLS, WEIGHTS AND JACKETS, WEIGHT AND JACKET SHIFTER, MOLD PUSH OFF

2023 CONVEYOR DYNAMICS MODEL 32X52-C 32" X 52' HEATED OSCILLATING CONVEYOR S/N CDC-2845 WITH DRIVE, HOOD

2019 SINTO MODEL FDNX-IR RIGHT HAND AUTOMATIC MOLDING MACHINE S/N 19605411010, WITH HYDRAULIC SYSTEM, CONTROLS, APPROX. MOLD COUNT 865,379, FEED BELT CONVEYOR WITH DRIVE

2019 SINTO 2-LINE MOLD HANDLING SYSTEM, 21 MOLDS PER SIDE, MOLD TRANSFERS, HYDRAULIC SYSTEM AND CONTROLS, WEIGHTS AND JACKETS, WEIGHT AND JACKET SHIFTER, MOLD PUSH OFF

2023 CONVEYOR DYNAMICS MODEL 36X55.5-C 36" X 55' HEATED OSCILLATING CONVEYOR S/N CDC-2844 WITH DRIVE, HOOD


(2) OSBORN MODEL 722 RJW SEMIAUTOMATIC MOLDING MACHINE NSN WITH PLC CONTROLS, S/N 19799-A, 19799-C

(2) OSBORN MODEL 722 RJWA SEMIAUTOMATIC MOLDING MACHINE NSN WITH PLC CONTROLS, S/N 18841-C, 18841-D

2025 AUTOMATED MOLD PALLET SYSTEM WITH RETURN LIFT TABLE, DUMP SYSTEM AND CARTS, CONTROLS, WEIGHT AND JACKET RETURN

2025 AUTOMATED MOLD PALLET SYSTEM WITH RETURN LIFT TABLE, DUMP SYSTEM AND CARTS, CONTROLS

AIR OPERATED MOLD PALLET LINE WITH AIR DUMP AND AIR RETURN, CARTS



CASTINGS CONVEYORS AND SHAKEOUT

**2024 CONVEYOR DYNAMICS MOLD
DUMP OSCILLATING CONVEYOR
APPROX. 38" X APPROX. 115' WITH
END DRIVE AND CENTER DRIVE,
HEATED BOTTOM, HOOD**

**2021 CONVEYOR DYNAMICS
MODEL 48/54X65.75-FC 48" X 65'
INCLINE OSCILLATING CONVEYOR
S/N CDC 2808 WITH HOOD**

**2021 CONVEYOR DYNAMIC MODEL
DIDION FEED OSCILLATING
CONVEYOR**

**2021 DIDION MODEL 200 MK7 MD
MEDIA DRUM SHAKEOUT
S/N DM1744, 40 HP**

**2021 CONVEYOR DYNAMICS
OSCILLATING CONVEYOR S/N CDC
2777 WITH HOOD**

**2021 CONVEYOR DYNAMICS
MODEL 48X21,75 FC 48" X 21'
FLAT SORTING OSCILLATING
CONVEYOR S/N CDC-2809**

**RELATED RETURN BELT
CONVEYORS WITH DRIVES**



SAND SYSTEM AND MULLER

B AND P MODEL 100B SPEEDMULLER S/N 100B-372-7604 WITH BATCH HOPPER, DUST HOOD, 200 HP DRIVE AND GEARBOX MODEL 64756 REV-1 S/N R0280-185

2019 GREEN SAND CONTROLS MODEL ETA3000 COMPACTABILITY UNIT S/N 3000-320-190301 WITH CONTROLS

2022 GREEN SAND CONTROLS MODEL ATR5 SAND TRANSPORTER S/N ATR5-392-220926

2022 GREEN SAND CONTROLS MODEL ATR5 SAND TRANSPORTER S/N ATR5-393-220926

RELATED MULLER FEED BELT CONVEYORS AND DISTRIBUTION CONVEYORS WITH DRIVES AND HOPPERS



CORE ROOM

REDFORD MODEL HS 22 LINEAR SHELL CORE MACHINE WITH TWIN SAND FEED SYSTEM, 150# BLOW HEAD, PLC CONTROLS, 22" X 26" PLATEN, SAND RETURN SYSTEM

REDFORD MODEL HS 22 SHELL CORE MACHINE WITH 150# BLOW HEAD, PLC CONTROLS, 22" X 26" PLATEN, SAND RETURN SYSTEM

(2) B AND P MODEL SF10A SHELL CORE MACHINE WITH PLC CONTROLS, GAS SYSTEM, 24" X 42" PLATEN



HOISTS

(2) RT-1 AND 2 YALE 3 TON TRAVELING HOT MELT LADLE DELIVERY HOISTS WITH PUSHERS

(2) EMT-1 AND 2 YALE 3 TON TRAVELING HOT MELT LADLE DELIVERY HOISTS WITH PUSHERS



LADLES

(3) MODERN 30" GEARED TEA POT LADLES

(3) MODERN 2.5 TON GEARED CYLINDRICAL LADLE

(6) 18" NON GEARED HAND LADLES

(4) MODERN 1500# POURING DEVICE WITH 18" GEARED LIP POUR LADLE



FINISHING AND GRINDING

2002 KOYAMA NACR MINI400 MODEL AGN5-FD7R-4SGR AUTOMATIC GRINDER S/N 02-1311

WHEELABRATOR 8' SINGLE TABLE TABLAST CLEANING MACHINE S/N A132804, 1- BELT TYPE SHOT WHEEL, SHOT RETURN SYSTEM AND CONTROLS, 11213 HOURS

FOX MODEL F10-00135-25 RIGHT HAND 25HP SINGLE END SNAG GRINDER S/N 56718-2 WITH SAFETY GUARD AND DISCONNECT

FOX MODEL F10-00135-25 RIGHT HAND 25HP SINGLE END SNAG GRINDER S/N 56718-3 WITH SAFETY GUARD AND DISCONNECT

FOX MODEL F10-00136-25 LEFT HAND 25HP SINGLE END SNAG GRINDER S/N 56748-1 WITH SAFETY GUARD AND DISCONNECT

FOX MODEL 10CG106 12" SWING FRAME TYPE GRINDER S/N 5815086

DOUBLE END 12" GRINDER WITH CONTROLS
DUST COLLECTORS

TORIT DONALDSON RF MODEL 276 ROUND PULSE DUST COLLECTOR S/N 14252385 RATED AT 20,000 CFM, WITH MAX-PE 100 HP MOTOR WITH YASKAWA SOFT START, CHICAGO BLOWER AND PULSE BLOWER AND CONTROLS

IVI MODEL PA16X24X144 TOP ACCESS PULSE BAG DUST COLLECTOR S/N 217354 WITH WORLDWIDE 150 HP MOTOR AND 2008 NEW YORK BLOWER MODEL 49 ACF RATED AT 66,000 CFM, ACF/PLR CLASS IV FAN, SCREW CONVEYOR DISCHARGE, CONTROLS, (NOTE: BEING USED AT 44,000 CFM)

2020 IVI MODEL PA16X24X144 TOP ACCESS PULSE BAG DUST COLLECTOR S/N 207145 WITH NEMA 150 HP MOTOR AND 2020 NEW YORK BLOWER MODEL 48BC RATED AT 31,000 CFM, SCREW CONVEYOR DISCHARGE, CONTROLS (NOTE: BEING USED AT 44,000 CFM)

MISC.

HIVAC MODEL 875 SP STATIONARY VACUUM S/N HV5731 WITH REMOTE CONTROLS, 731 HOURS

HYVAC IMODEL 250 S/N HV3934

(2) ELECTRONITE DIGILANCE V TEMPERATURE INDICATORS



AIR COMPRESSORS

2018 KAESER MODEL SFC-110 SIGMA AIR COOLED AIR COMPRESSOR S/N 1006, 150 HP, 689 CFM, 62,875 RUN HOURS, 60460 LOAD HOURS

2018 KAESER MODEL CSD 100 SIGMA AIR COOLED AIR COMPRESSOR S/N 1289, 100 HP, 494 CFM, 11,545 RUN HOURS, 8,351 LOAD HOURS

2018 KAESER MODEL CSD 100 SIGMA AIR COOLED AIR COMPRESSOR S/N 1290, 100 HP, 494 CFM, 9,175 RUN HOURS, 6,582 LOAD HOURS

2018 AIR COMPRESSOR ENCLOSURE S/N US01567 WITH KAESER MODEL SIGMA AIR MANAGER 4.0

KAESER TG301E REFRIGERATED DRYER, SERIAL #1000003322260, 1000 SCFM @ 100 PSIG, 67193 HOURS

KAESER TG301E REFRIGERATED DRYER, SERIAL #1000003350819, 1000 SCFM @ 100 PSIG, 67146 HOURS

(2) 330 GALLON AIR RECEIVER TANKS, MFG 2018



Liquidation In Conjunction With:



PO Box 39575, Solon, Ohio 44139
Phone: (440) 463-1530
Email: jgreene@flsales.com



2321 N Loop Dr., Ames, IA 50010
Phone: (773) 860-5142
Email: eurosources@mac.com