RMC	REGUS MACHINERY

DEBURRING MACHINE				
SSD 1300 Photo	Basic Info			
	TWO SIDES OF SAND BELT + EAGE ROUNDING ROLLERS WORKING WIDTH: 1300MM			
Edge-rounding Brush Roller's Piece	32 unit			
Ordinary Sand Belt	6 unit			
Loading Container	1*20GP			
Freight&Tariff	Not Included			
Trade Term	DDP			
Payment Terms	30% down payment,70% before shipment.			
Warranty	One year warranty for the machine			
Options				
Dust Collector 7.5kw (Option)				
Vacumme table (Option for Stainless steel)				
Transformer				
Basic Parameter				
Structure	Two sides sand belt and six edge-rounding rollers			
Working Width	1300mm			
	Configuration			

Working Width Range	10mm-1300mm			
Metal Piece Thickness				
Metal Piece Inickness	1.5mm-50mm			
Minimum Piece Size	50mm*50mm*1mm			
Total Power	52.75kw			
Sand Belt Speed	1250r/min			
Edge-Rounding Roller Speed (adjustable)	300-1400r/min			
Conveyor Running Speed	1-5m/min			
Repositioning Accuracy	0.02mm			
Working Air Pressure	0.4kp-0.7kp			
Control Mode	Manual/automatic			
Edge-Rounding Roller Size	280mm*50mm*40mm*48P			
Sand Belt Size	2200mm*1310mm			
Conveyor Size	7060mm*1300mm*7mm			
Machine Weight	4000kg			
Machine Overall Dimensions	4100mm*2100mm*2300mm			
DEBURRING WAYS				
25				





