



320 BSA

Double Miter Band Saw

Quote Number: **032-26C**



HE&M Saw, Inc.

P.O. Box 1148, Pryor, OK 74362

Toll Free: (888) 729-7787 • Phone: (918) 825-4821 • Fax: (918) 825-4824

www.hemsaw.com

STANDARD FEATURES

- Saw:** Double Miter, Horizontal, Utility Band Saw
- Saw Capacity:** 12.6" W x 8.6" H @ 90° (10.8" round)
- Miter Capacity:** 7.3" W x 8.6" H @ 45° (L) • 7.9" W x 3.9" H @ 45° (R)
4.7" W x 5.5" H @ 60° (L)
- Arm Miter:** Dual 45° Miter / One-Way 60° Miter. Release the lock and manually move the saw head to the desired position and engage the lock to lock the arm into place.
- Operation:** Semi-Automatic Operation
- Blade Size:** 1" x 119" x .035"
- Blade Drive:** 3 HP 440V (3-Phase) Variable Speed (49-328 SFPM) Electrical Motor Requirement or 1.8 HP 220V (3-Phase) - 2-Speed (106 / 216 SFPM) Electrical Motor Requirement
- Control Console:** Moveable Control Console w/ 40" Umbilical



Variable Speed Console



2-Speed Console

Other Standard Features: Patented Hydraulic System
Manual Adjust, Hydraulic Stroke Vise
Adjustable Feed Rate & Cutting Pressure
Rugged 3/16" Steel Base
Blade Speed & Height Set from Control Panel (440V Only)
Part Counter on Control Panel (440V Only)
Heavy-Duty Sealed Pivot Bearing Point
Full Capacity Cutting Surface
Manual Adjustable Blade Guide
Easy Blade Tensioning
Hard-Stop Measuring Device
Emergency Stop
Large Chip Container
Flood Coolant System
Weight: 1500 lbs.

Price: **\$22,095.00 – FOB Pryor, Oklahoma**

Terms: All prices quoted are FOB – Pryor, Oklahoma. Prepay before shipment.

Warranty: One year on replacement parts

OPTIONAL FEATURES

Saw Blades: Blades are kept in stock and offered in 4/6, 6/10, 3/4 and 10/14 Pitch
Price: \$128.24



Inbound or Outbound Roller Tables w/ Connection (A & C):

Roller table is designed to move even the large bars with ease and accuracy.

Price: \$1,260.00



Roller Table Extension (B): Roller table extension that is designed to move even the large bars with ease and accuracy.

Price: \$916.00



This quotation is firm for thirty (30) days from the date of issue and is not an offer to sell until we have agreed to the options, form of payment, terms, and conditions prior to accepting an order. HEM Inc., whose policy is one of continuous improvement, reserves the right to change the design, price, and/or specifications at any time, without notice, and without incurring any obligations.

Please visit www.hemsaw.com to view photos/videos of this equipment.

HE&M Horizontal Double-Miter Band Saw

320 BSA

Capacity: 12.6" x 8.6" H @ 90° (10.8" Round)

7.9" W x 3.9" H @ 45° R • 7.3" W x 8.6" H @ 45° L • 4.7" W x 5.5" H @ 60° L

Blade: 1" x 119" x .035" • **Motor:** 3 HP 440V (3-Phase) Variable Speed (49-328 SFPM) or 1.8 HP 230V (3-Phase) 2 Speed (106 / 216 SFPM)

(Patented Hydraulic System with Feed Rate, Cutting Pressure, & Vise)



Standard Features

Dual 45° Miter, One-Way 60° Miter • Moveable Control Console • Rugged 3/16" Steel Base • Miter Scale • Heavy-Duty Sealed Pivot Bearing Point • Full Capacity Cutting Surface • Vise - Hydraulic Adjustable • Guide Arm - Manual Adjustment • Hard-Stop Measuring Device • Powered Blade Brush • Flood Coolant System

Optional Features

Inbound or Outbound Roller Tables

**Scan or Click QR Code
for More Information,
Photos, & Videos**



HE&M[®] SAW
— The saw that cuts straight. —

www.hemsaw.com

Address: P.O. Box 1148 Pryor OK 74362 • **Toll Free:** 888-729-7787 • **Email:** info@hemsaw.com

HE&M, Inc., whose policy is one of continuous improvement, reserves the right to change the price, specifications, or design, as well as discontinue any model, at any time without notice and without incurring any obligations. Dimensions may vary. Please contact HE&M, Inc. for a certified dimensional drawing of your specific model.
Copyright 112800 HE&M, Inc. All rights reserved.

FOOTPRINT CARIF 320 BSA HEMSAW

