



800 SPRUCELAKE DRIVE, HARBOR CITY, CA 90710

P: (800) 421-2105 OR (310) 518-1100

F: (310) 830-0923

INFO@LAGUN.COM

WWW.LAGUN.COM

NEW LAGUN VERTICAL ELECTRONIC VARIABLE SPEED (EVS) KNEE MILL MODEL: FTV-2FE

DESIGNED, ASSEMBLED, & TESTED IN LOS ANGELES, CA PLANT




MODEL SHOWN WITH OPTIONAL ACCESSORIES

REVISED P: 5.22.2026
P.O.: 9.18.2025
F: 5.18.2023
T: 20%

WE ARE PLEASED TO QUOTE FOR YOUR CONSIDERATION, OUR NEW LAGUN VERTICAL MILLING MACHINE WITH ELECTRONIC VARIABLE SPEED MODEL:

FTV-2FE

OUR NEW LAGUN FTV-2FE MILL IS DESIGNED WITH AN ELECTRONIC VARIABLE SPEED PACKAGE TO PRECISELY CONTROL THE RPM CUTTING SPEED. BY USING A 2:1 GEAR RATIO FROM MOTOR TO SPINDLE THE FTV-2FE CAN OPERATE AT HIGHER RPMs WITH A LOWER MOTOR SPEED. OUR COMPETITORS USE A 1:1 GEAR RATIO, WHICH MEANS THEY WILL OVERBURDEN THE BEARINGS AND OTHER INTERNAL COMPONENTS TO USE AND MAINTAIN HIGHER SPEEDS. OUR SOLUTION MEANS **LESS WEAR** AND **LONGER LIFESPAN** COMPARED TO THE COMPETITION.



FTV-2FE SHOWN ABOVE WITH SOME POPULAR OPTIONAL ACCESSORIES

ELECTRONIC VARIABLE SPEED (EVS)

HEAD



- EVS SPINDLE POWER VS. STANDARD VARIABLE SPEED: AT 356 RPM, THE EVS REACHES ITS FULL HORSEPOWER RATING (5 HP (3.7 KW) MOTOR- CONSTANT DUTY RATING) AND PRODUCES 74 FT-LBS (100 NM) OF TORQUE ALLOWING YOU TO MILL, DRILL, AND TAP MATERIALS OTHER MACHINES CAN BARELY CUT. OPTIONAL 5 HP (3.7 KW) BALDOR EVS MOTOR HEAD AVAILABLE.

SPINDLE DRIVE (EVS DRIVE)


- 5 HP (3.7 KW) ELECTRONIC VARIABLE SPEED (EVS) MOTOR WITH POLYVEE BELT DRIVE ELIMINATES HEAT AND VIBRATION. REPLACES COG BELT AND MANUAL SPEED CHANGE LINKAGE OF PULLEY DRIVE SYSTEMS.
- EVS SYSTEM HOUSED IN NEMA TYPE CONTROL BOX WITH POWER KILL SWITCH.
- SPINDLE SPEED UP TO 4,250 RPM ELECTRONICALLY VARIABLE IN TWO RANGES WITH LED READOUT.
 - LOW GEAR RANGE 55 - 490 RPM
 - HIGH GEAR RANGE 490 - 4,250 RPM
- ELECTRONIC AND MANUAL BRAKE FOR RAPID SPINDLE STOP.
- CENTRALIZED CONTROL STATION ON HEAD WITH PUSH BUTTON (FORWARD-REVERSE) FOR THRU-HOLE TAPPING.

SPINDLE TAPER

- WITH 4 E/A HI PRECISION BEARINGS IN OUR R-8 AND #40 SPINDLE TAPER.




STANDARD R-8 SPINDLE TAPER




OPTIONAL NST#40 SPINDLE TAPER

THE **HEAD ASSEMBLY** CAN BE TILTED FRONT-TO-BACK AND SWIVELED RIGHT-TO-LEFT. ANGULAR SETTINGS EMPLOY WORM AND GEAR. (SEE DETAIL H)

- **RAM/HEAD ASSEMBLY** CAN BE EASILY ROTATED A FULL 360° DEGREES. (SEE DETAIL H)
- **MASSIVE RAM** FEATURES **19" (483 MM)** OF BEARING LENGTH AND **22 3/8" (563 MM)** OF TRAVEL. (SEE DETAIL J)
- THE RAM DESIGN ALLOWS USE OF THE OPTIONAL **SLOTING ATTACHMENT**. IT IS MOUNTED OPPOSITE THE STANDARD HEAD (WITH OPTIONAL KIT 149 - 1140K). (SEE DETAIL K)
- ALL **LEAD SCREWS** ARE THREAD ROLLED AND PRECISION GROUND. (SEE DETAIL L)



HEAD TILT






HEAD SWIVEL



RAM TRAVEL

TABLE & SADDLE

- A **UNIQUE DOUBLE NUT ASSEMBLY** PROVIDES BACKLASH ADJUSTMENT OF LONGITUDINAL AND CROSS FEED SCREWS. ADJUSTMENT OF THIS DEVICE ELIMINATES BACKLASH DUE TO WEAR. (SEE DETAIL M)
- TABLE & SADDLE LOCKS** ARE CONVENIENTLY LOCATED IN FRONT OF THE MACHINE. HANDLES ARE SPRING LOADED TO ALLOW REPOSITIONING ONCE LOCKED. THIS ADVANCED DESIGN CLAMPS THE TABLE TO THE SADDLE BUT DOES NOT PUSH ON A GIB. AS A RESULT, THE TABLE WILL HOLD ITS POSITION MORE ACCURATELY. (SEE DETAIL N)
- THE 11 ½" (292 MM) WIDE KNEE HAS **SQUARE AND DOVETAIL WAY GUIDES**. THIS COMBINATION PROVIDES THE RIGIDITY OF THE SQUARE WAY DESIGN AND RETAINS THE ACCURACY OF THE DOVETAIL DESIGN. (SEE DETAIL O1) WAYS ARE HARDENED & GROUND. (SEE DETAIL O)
- THE **SADDLE** HAS A FULL **23" (584 MM)** OF BEARING LENGTH SUPPORTING THE TABLE, ALLOWING WORK-PIECE WEIGHTS UP TO **750 LBS (341 KGS)**. (SEE DETAIL P)
- THE **ONE-SHOT CENTRAL LUBRICATION SYSTEM** PROVIDES OIL TO ALL SLIDING SURFACES, NUTS, AND LEAD SCREWS. (SEE DETAIL Q)
- ANTI-FRICTION TURCITE TYPE BEARINGS** SURFACE MATERIAL IS USED THROUGHOUT THE MACHINE.
- A **FLOOD COOLANT SYSTEM** IS STANDARD EQUIPMENT. THE PUMP IS LOCATED ON TOP OF BASE INSIDE THE COLUMN. THE BASE ACTS AS A RESERVOIR AND ACCESS IS THROUGH COLUMN OPENING.
- ELECTRICAL:** SINGLE SOURCE POWER FOR THE MACHINE IS 220 OR 440 VOLTS. THE ELECTRICAL PANEL HAS THE MAIN POWER DISCONNECT, LOW VOLTAGE TRANSFORMER, MOTOR STARTER FOR MAIN MOTOR WITH OVER AND UNDER VOLTAGE PROTECTIONS FOR MACHINE AND OPERATOR. THE SPINDLE STOP & **E-STOP BUTTONS AND SELECTOR SWITCH (FORWARD-REVERSE) ARE LOCATED ON THE FRONT OF THE HEAD FOR THE MAIN MOTOR.**
 - 2 E/A STANDARD 110V PLUG FOR POWER FEEDS, READ OUT AND LIGHT (OPT. 2 E/A MORE); COOLANT PUMP FUSED ON/OFF SWITCH.




B


FLOOR SPACE


IN ACCORDANCE WITH THE MACHINE'S DIMENSIONS ON THE FLOOR, THE CUSTOMER MUST ENSURE:


- ENOUGH SPACE TO ENABLE FREE AND EASY ACCESS TO ALL PARTS OF THE MACHINE.
- FLOOR SIGNS INDICATING THAT PERSONNEL MUST NOT CROSS INTO CERTAIN ZONES AND MAY NOT STAND OR LEAVE GOODS OR MERCHANDISE IN CERTAIN AREAS.
- A FREE SPACE OF AT LEAST 31.5" (80 CM) AROUND THE WHOLE PERIMETER OF THE MACHINE.
- SPACE REQUIRED FOR MODEL FTV-2F
 - WIDTH.....110 ¾" (2,813 MM)
 - DEPTH.....94 ½" (2,400 MM)
 - HEIGHT.....87 ⅘" (2,230 MM)

NOTE: THE MEASURES ARE JUST INDICATIVE; THESE MEASURES CAN CHANGE DEPENDING ON EACH CASE AND CHOSEN OPTIONS.









CASTINGS

- LAGUN MILLING MACHINES USE A SPECIAL HIGH-STRENGTH GRAY CAST IRON PRODUCED BY THE MEEHANITE PROCESS. THE CAST IRON'S PHYSICAL AND CHEMICAL PROPERTIES PROVIDE LOW DAMPING CAPACITY, HIGH MODULUS OF ELASTICITY, AND EXCELLENT WEAR CHARACTERISTICS. THESE CASTINGS ARE PRODUCED IN ACCORDANCE WITH ASTM A-4874 SPECIFICATIONS WITH THE MATERIAL RANGING FROM A-4874-40 TO A-7874-45.



MACHINE SPECS

MODEL	FTV-2FE
TABLE	
TABLE SIZE	55" X 10" (1,403 X 254 MM)
NUMBER OF T-SLOTS	3
T-SLOT SIZE	0.63" X 2.51" (16 X 64 MM) CENTERS
MAXIMUM WEIGHT ON TABLE	750 LBS (340 KGS) EVENLY DISTRIBUTED
HEAD	
MAIN MOTOR	5 HP (3.72 KW)
HEAD SWIVEL (LEFT → RIGHT)	± 90°
HEAD TILT (FRONT → BACK)	± 45°
DISTANCE FROM SPINDLE → COLUMN	5" - 27" (127 - 685 MM)
DISTANCE FROM SPINDLE → TABLE	0 - 18" (0 - 457 MM)
SPINDLE	
SPINDLE SPEED	ELECTRONIC VARIABLE SPEED (EVS)
SPINDLE SPEED RANGE	55 ~ 4,250 RPM LOW (55 ~ 490 RPM) HIGH (490 ~ 4,250 RPM)
POWER QUILL FEEDS	0.0015, 0.00314, 0.00511 IN/REV (0.04, 0.08, 0.13 MM/REV)
SPINDLE TAPER	R-8 / *NST #30 / *NST #40/ *CAT #40
QUILL DIAMETER	3.38" (86 MM)
QUILL TRAVEL	5" (127 MM)
TRAVELS	
X-AXIS TABLE TRAVEL WITHOUT POWER FEED (PF)	38" (965 MM)
X-AXIS TABLE TRAVEL WITH POWER FEED (PF)	35" (880 MM)
Y-AXIS CROSS TRAVEL	16" (406 MM)
Z-AXIS KNEE TRAVEL	16" (406 MM)
RAM TRAVEL	22.44" (570 MM)
CAPACITIES	
DRILLING CAPACITY IN MILD STEEL (MANUAL)	1.25" (32 MM)
MIILLING CAPACITY IN MILD STEEL	4 IN ³ /MIN (10.16 CM ³ /MIN)
BORING RANGE IN MILD STEEL	UP TO 8" (203 MM)
MACHINE CONSTRUCTIVE DIMENSIONS	
COLUMN TURRET DIAMETER (GRADUATED)	15" (381 MM)



MODEL	FTV-2FE
KNEE WIDTH	11.5" (292 MM)
KNEE → COLUMN BEARING LENGTH	18" (457 MM)
SADDLE & TABLE BEARING LENGTH	23" (584 MM)
RAM & TURRET BEARING LENGTH	19" (483 MM)
RAM LENGTH	36" (914 MM)
PHYSICAL	
APPROXIMATE WEIGHT	2,854 LBS (1,295 KGS)
HEIGHT	89.17" (2,265 MM)
WIDTH	72.65" (1,845 MM)
DEPTH	60.55" (1,539 MM)
POWER, DUAL VOLTAGE MOTORS	220V/3PH/60HZ / *440V/3PH/60HZ / *440V/1PH/60HZ

(*) OPTIONAL



STANDARD EQUIPMENT

- R-8 WITH 4 E/A HI-PRECISION BEARINGS & 1 E/A SPACER (NST #40 & CAT #40 OPTIONALLY AVAILABLE)
- FLOOD COOLANT SYSTEM
- HARDENED & PRECISION GROUND WAYS
- ONE SHOT LUBRICATION SYSTEM
- DRAW BAR
- OPERATORS MANUAL & PARTS LIST
- BASIC SERVICE TOOL KIT
- BASE CHIP PAN
- HALOGEN WORKLIGHT
- STANDARD WAY COVERS: CROSS & VERTICAL
- SPINDLE SHIELD PROTECTION GUARD (OPT. WITH MICRO SWITCH)
- 220V/3PH/60HZ STANDARD ELECTRICS (OPT. 440V WITH 3 PHASE OR SINGLE PHASE)
- NEMA 12 ELECTRICAL PANEL WITH U.S. COMPONENTS
- TWO 110V PLUG-IN SOCKETS





INVESTMENT

SKU	NAME	QTY	PRICE	SUBTOTAL
MACHINE				
☒ 10-16-1012FL-EVS	FTV-2FE VERTICAL MILL WITH ELECTRONIC VARIABLE SPEED (EVS) HEAD 5HP LAGUN MOTOR EVS HEAD - STANDARD WITH R-8 SPINDLE TAPER 220V/60HZ/3PH ELECTRICS - AS PER ABOVE DESCRIPTION	1	\$26,911.00	\$26,911.00

SKU	SPECIAL ELECTRICS (NET)	QTY	PRICE	SUBTOTAL
☐ 10-440	440V MUST BE DECIDED AT TIME OF ORDER	1	\$727.00	\$727.00
☐ B-1	480V MUST BE DECIDED AT TIME OF ORDER	1	\$727.00	\$727.00
☐ B-2	220V ELECTRICS, SINGLE PHASE WITH COOLANT PUMP	1	\$7,725.00	\$7,725.00
☐ B-UL	UL-508A INDUSTRIAL CONTROL PANEL PRICE ON REQUEST	1	\$0.00	\$0.00
☐ B-NFPA	NFPA-79 ELECTRICS CERTIFICATION PRICE ON REQUEST	1	\$0.00	\$0.00


SKU	NAME	QTY	PRICE	SUBTOTAL
OPTIONAL ACCESSORIES				
CONVERSION PACKAGES				
☐ 10-130-1114B 10-129-1113A 10-127-1112A 10-L304	VERTICAL-TO-HORIZONTAL CONVERSION PACKAGE (USING AN R-8 TAPER HEAD) - ARBOR R-8 TAPER - ARBOR SUPPORT R-8 TAPER - RIGHT ANGLE ATTACHMENT R-8 TAPER - X AXIS GEARED POWER FEED	1	\$6,572.00	\$6,572.00
☐ 10-127-1112B VHA-NT40-105-I 10-130-1114B 10-L304	VERTICAL-TO-HORIZONTAL CONVERSION PACKAGE (USING A #40 TAPER HEAD) - ARBOR #40 TAPER - ARBOR SUPPORT #40 TAPER - RIGHT ANGLE ATTACHMENT #40 TAPER - X AXIS GEARED POWER FEED	1	\$6,947.00	\$6,947.00
HEAD				
☐ C-1	5HP BALDOR MOTOR ELECTRONIC VARIABLE SPEED (EVS) HEAD	1	\$1,454.00	\$1,454.00
☐ 10-101-1174-NST	NST #40 SPINDLE TAPER, W/4 HI PRECISION CLASS 7 BEARING MUST BE DECIDED AT TIME OF ORDER	1	\$458.00	\$458.00

	 			
☐ 10-101-117CT-S	CAT #40 SPINDLE TAPER, W/4 HI PRECISION CLASS 7 BEARING • MUST BE DECIDED AT TIME OF ORDER	1	\$509.00	\$509.00
	 			
☐ 10-270-1162	QUILL KIT, VERTICAL KNEE-MILL, ABS TYPE (ABSOLUTE ENCODER SYSTEM) • 5" (127 MM) OF TRAVEL • 0.0004" (0.01 MM) RESOLUTION • EASY TO READ LCD • NOTE: THIS SCALE DOES NOT INTEGRATE WITH OUR DRO SYSTEMS	1	\$771.00	\$771.00
				
☐ 10-085-0110-AM	POWER DRAW BAR, PNEUMATIC, USE WITH STANDARD DRAW BAR (POWER UNIT ONLY) (R8, NST 40, CAT 40)	1	\$1,504.00	\$1,504.00
	 			
☐ 10-388AA	QUICK INDEX QUILL DOWN FEED HANDLE	1	\$251.00	\$251.00
				
☐ 10-402Q	QUICK POSITION DOWN FEED QUILL STOP	1	\$112.00	\$112.00
POWER FEEDS				
☐ 10-193-X350	SERVO #350 X-POWER FEED, LONGITUDINAL, 110V	1	\$2,180.00	\$2,180.00
				
☐ 10-194-Y350	SERVO #350 Y-POWER FEED CROSS, 110V	1	\$2,330.00	\$2,330.00




	• **SEE PICTURE ABOVE**			
☐ 10-195-Z350	SERVO #350 Z POWER FEED, KNEE LIFT, 110V • **SEE PICTURE ABOVE**	1	\$2,366.00	\$2,366.00
☐ 10-192-1402	LAGUN LIGHTING, X-AXIS, LONGITUDINAL POWER FEED; 110V 	1	\$1,444.00	\$1,444.00
☐ 10-192-1403	LAGUN LIGHTING, Y-AXIS, CROSS POWER FEED; 110V • **SEE PICTURE ABOVE**	1	\$1,444.00	\$1,444.00
☐ 10-192-1404	LAGUN LIGHTING, Z-AXIS, VERTICAL KNEE LIFT; 110V • **SEE PICTURE ABOVE**	1	\$1,444.00	\$1,444.00

GEAR TYPE POWER TABLE FEED FOR MILLING



☐ 10-L304	X AXIS GEAR POWER TABLE FEED WITH LIMIT SWITCH • **REQUEST FLIER FOR MORE INFORMATION ON SPECIFICATIONS** 	1	\$2,808.00	\$2,808.00
☐ 10-L305	Y AXIS GEAR POWER TABLE FEED WITH LIMIT SWITCH • **REQUEST FLIER FOR MORE INFORMATION ON SPECIFICATIONS** 	1	\$2,969.00	\$2,969.00
☐ 10-L306	Z AXIS GEAR POWER TABLE FEED WITH LIMIT SWITCH • **REQUEST FLIER FOR MORE INFORMATION ON SPECIFICATIONS** 	1	\$2,542.00	\$2,542.00

DIGITAL READ OUTS (DRO)

☐ FAGOR-400I-1640	2 AXIS FAGOR 400I DRO SYSTEM, 16 X 40 	1	\$3,111.00	\$3,111.00
--	--	---	------------	------------

☐ FAGOR-400I-1640-Q	3 AXIS FAGOR 400I DRO SYSTEM W/ QUILL, 16 X 40 X 5 • **SEE PICTURE ABOVE** • PRICE ON REQUEST	1	\$0.00	
☐ FAGOR-400I-1640-K	3 AXIS FAGOR 400I DRO SYSTEM W/ KNEE, 16 X 40 X 16 • **SEE PICTURE ABOVE** • PRICE ON REQUEST	1	\$0.00	\$0.00
☐ 81450023	4 AXIS FAGOR 400I DRO SYSTEM W/ QUILL & KNEE, 16 X 40 X 16 X 5 • **SEE PICTURE ABOVE**	1	\$3,227.00	\$3,227.00
☐ 10-M203-8009	2 AXIS ACU-RITE M203 DRO, 16 X 40 	1	\$3,973.00	\$3,973.00
☐ 10-M203-8009-Q	3 AXIS ACU-RITE M203 DRO, W/ QUILL, 16 X 40 X 5 • **SEE PICTURE ABOVE**	1	\$4,871.00	\$4,871.00
☐ 10-M203-8009-K	3 AXIS ACU-RITE M203 DRO, W/ KNEE, 16 X 40 X 16 • **SEE PICTURE ABOVE**	1	\$5,156.00	\$5,156.00
☐ 1197251-02	4 AXIS ACU-RITE DRO300 DRO, W/ QUILL & KNEE, 16 X 40 X 16 X 5 • **SEE PICTURE ABOVE**	1	\$6,651.00	\$6,651.00
☐ 10-250-8090R-B	2 AXIS NEWALL NMS800 DRO SYSTEM, 16 X 40 	1	\$2,582.00	\$2,582.00
☐ 10-252-8085RBQ	3 AXIS NEWALL NMS800 DRO SYSTEM W/ QUILL, 16 X 40 X 5 • **SEE PICTURE ABOVE**	1	\$3,219.00	\$3,219.00
☐ 10-252-8085RB-K	3 AXIS NEWALL NMS800 DRO SYSTEM W/ KNEE, 16 X 40 X 16 • **SEE PICTURE ABOVE**	1	\$3,219.00	\$3,219.00
☐ NQ40161602M6012	4 AXIS NEWALL NMS800 DRO SYSTEM W/ QUILL & KNEE, 16 X 40 X 16 X 5 • **SEE PICTURE ABOVE**	1	\$3,436.00	\$3,436.00
CLAMPS & COLLETS				
☐ 10-121-1106	CLAMP KIT AND STUD SET52 PCS. 5/8" TSLOTS 	1	\$520.00	\$520.00



☐ 10-086-1101	SET R-8 COLLETS 1/8" TO 3/4"11 PCS. 	1	\$568.00	\$568.00
COLLET RACKS				
☐ 10-2496-1120	COLLET RACK FOR R-8 COLLETS; 48 PCS.	1	\$169.00	\$169.00
☐ 10-086-1101CR	COLLECT RACK FOR R-8 COLLECTS; 16 PCS.	1	\$122.00	\$122.00
VICES				
☐ 10-125-1115-A	LAGUN 6" ANG LOCK, SWIVEL BASE VISE, 8" OPENING 	1	\$1,489.00	\$1,489.00
☐ 10-125-1115	KURT 6" DX6 ANG LOCK VISE, 9" OPENING (OPT: SWIVEL BASE) 	1	\$1,172.00	\$1,172.00
☐ 10-22935604	SWIVEL BASE FOR KURT 6" VISE 	1	\$1,103.00	\$1,103.00
DRILL CHUCK				
☐ 10-125-1110-1/2	1/2" DRILL CHUCK (KEY TYPE) W/ R-8 SHANK 	1	\$371.00	\$371.00
☐ 10-125-1110-5/8	5/8" DRILL CHUCK (KEY TYPE) W/ R-8 SHANK • **SEE PICTURE ABOVE**	1	\$419.00	\$419.00
☐ 10-125-1110B	1/2" DRILL CHUCK (KEY TYPE) W/ #40 TAPER • **SEE PICTURE ABOVE**	1	\$559.00	\$559.00
☐ 10-140-1110-5/8	5/8" DRILL CHUCK (KEY TYPE) W/ #40 TAPER • **SEE PICTURE ABOVE**	1	\$602.00	\$602.00
SHELL MILL				



☐ 10-089-1104A-1	SHELL MILL ADAPTER IN R-8, ¾"	1	\$230.00	\$230.00
				
☐ 10-089-1104A-2	SHELL MILL ADAPTER IN R-8, 1" • **SEE PICTURE ABOVE**	1	\$239.00	\$239.00
☐ 10-089-1104A-3	SHELL MILL ADAPTER IN R-8, 1 ½" • **SEE PICTURE ABOVE**	1	\$246.00	\$246.00
☐ 10-089-1104B-1	SHELL MILL ADAPTER IN # 40 TAPER, ¾" • **SEE PICTURE ABOVE**	1	\$352.00	\$352.00
☐ 10-089-1104B-2	SHELL MILL ADAPTER IN # 40 TAPER, 1" • **SEE PICTURE ABOVE**	1	\$352.00	\$352.00
☐ 10-089-1104B-3	SHELL MILL ADAPTER, #40 TAPER, 1 ½" • **SEE PICTURE ABOVE**	1	\$366.00	\$366.00

END MILL HOLDERS

☐ 10-088-1102-R8	1 SET END MILL HOLDERS R8 TAPER; 7PC; 1/8", 1/4", 3/8", 1/2", 5/8", 3/4", 1" 	1	\$1,073.00	\$1,073.00
☐ 10-088-1102B-1	1 SET END MILL HOLDERS-#40 TAPER; 7 PC; 1/8", 1/4", 3/8", 1/2", 5/8", 3/4", 1" • **SEE PICTURE ABOVE**	1	\$2,565.00	\$2,565.00

ATTACHMENTS



☐ 10-127-1112	RIGHT ANGLE ATTACHMENT; R-8 	1	\$2,010.00	\$2,010.00
☐ 10-127-1112B	RIGHT ANGLE ATTACHMENT; #40 TAPER (3 3/8" QUILL) • **SEE PICTURE ABOVE**	1	\$2,849.00	\$2,849.00

ARBORS

☐ 10-130-1114A	1" ARBOR, 18-1/4" LONG WITH BUSHINGS AND R-8 	1	\$1,097.00	\$1,097.00
---------------------------------------	---	---	------------	------------



☐ 10-130-1114B	1" ARBOR, 18-1/4" LONG WITH BUSHINGS AND #40 **SEE PICTURE ABOVE**	1	\$905.00	\$905.00
☐ 10-129-1113A	ARBOR SUPPORT W/1" ARBOR 9" -R8 	1	\$1,387.00	\$1,387.00
CHUCKS				
☐ 10-103-1176	COLLET CHUCK W/ SET OF 15 COLLETS FROM 1/8" TO 1", #40 	1	\$1,230.00	\$1,230.00
☐ 10-103-1176-M	#40 100TG COLLET CHUCK W/ 1 SET OF 8 METRIC COLLETS; 6MM, 8MM, 10MM, 12MM, 14MM, 16MM, 18MM, 20MM. • **SEE PICTURE ABOVE**	1	\$1,290.00	\$1,290.00
☐ 10-100-206-20	1 SET OF 8 COLLETS- METRIC, TO BE USED WITH COLLET CHUCK 100TG; SIZE 0.24 TO 0.79" (6 TO 20 MM). • PRICE ON REQUEST	1	\$0.00	\$0.00
RISER BLOCKS				
☐ 10-146-1135A	4" RISER BLOCK W/ SPIDER & 4 PC. METRIC HEX BOLTS	1	\$2,159.00	\$2,159.00
☐ 10-145-1135A	6" RISER BLOCK W/SPIDER & 4 PC. METRIC HEX BOLTS	1	\$2,273.00	\$2,273.00
☐ 10-148-1137	10" RISER BLOCK	1	\$2,560.00	\$2,560.00
☐ 10-148-1137A	12" RISER BLOCK W/ SPIDER & 4 PC. METRIC HEX BOLTS	1	\$2,751.00	\$2,751.00
ROTARY TABLES				
☐ 10-179-1122	ROTARY TABLE; 8" DIAMETER HORIZONTAL/VERTICAL WITH INDEX PLATES	1	\$2,285.00	\$2,285.00
☐ 10-179-1120	ROTARY TABLE; 10" DIAMETER HORIZONTAL/VERTICAL WITH INDEX PLATES	1	\$3,123.00	\$3,123.00
☐ 10-181-1125	ROTARY TABLE; 12" DIAMETER HORIZONTAL/VERTICAL WITH INDEX PLATES	1	\$4,046.00	\$4,046.00
ADJUSTABLE TAILSTOCK				
☐ 10-180-1121	TAILSTOCK FOR 10" TABLE	1	\$2,138.00	\$2,138.00
☐ 10-182-1126	TAILSTOCK FOR 12" TABLE	1	\$2,245.00	\$2,245.00
SLOTING				
☐ 10-149-1140N-ASSY-A	PRECISION-SLOTING ATTACHMENT, STROKE: 5" (125 MM); 5/8" TOOL CAPACITY. • 6 SLOTING BARS (4MM, 4.5MM, 6MM, 7MM, 8MM, 10MM)	1	\$7,614.00	\$7,614.00

	• FLANGE A MOUNTING KIT • L-SHAPED GROUND PLATE 			
AUTO LUBRICATION				
☐ 10-164-1100C	AUTO LUBRICATION SYSTEM • RECOMMENDED FOR BALL SCREWS 	1	\$3,077.00	\$3,077.00
BALL SCREWS				
☐ 10-166-1163	PRECISION BALL SCREWS FOR X & Y AXES 	1	\$6,222.00	\$6,222.00
OTHER ACCESSORIES				
☐ 10-162-1158A	WAY COVERS, CROSS & VERTICAL 	1	\$1,779.00	\$1,779.00
☐ 10-160-1168	MIST COOLANT SYSTEM 	1	\$1,475.00	\$1,475.00
☐ C-DECAL	SPECIAL DECAL FOR FTV (INSTALLED)	1	\$1,223.00	\$1,223.00



SKU	TRANSPORTATION (NET)	QTY	PRICE	SUBTOTAL
☒ 10-USP-1200	WOOD SKID W/ MACHINE WRAPPED IN PLASTIC (NET)	1	\$355.00	\$355.00
☐ 10-EFC-1200-C	COMPLETELY ENCLOSED WOOD CRATE (NET) PRICE ON REQUEST	1	\$0.00	\$0.00
☒	SHIPPING TO CUSTOMER FACILITY (NET) SHIPPING IS DAP AT DOCK. UNLOADING AND RIGGING ARE NOT INCLUDED.	1	\$1,900.00	\$1,900.00

Steve Hornbek

July 20, 2026

Steven Hornbek

Central West Regional Sales Manager

310 870 1205 stevenh@lagun.com

MACHINE + ACCESSORIES: \$29,166.00

*OTHER DRO SYSTEMS ARE AVAILABLE UPON REQUEST. PLEASE REFER TO OUR VERTICAL MILL PRICE LIST FOR ADDITIONAL OPTIONS AND ACCESSORIES.



TERMS & CONDITIONS:

1. PRICES QUOTED ARE FOB HARBOR CITY, CA PREPARED FOR DOMESTIC SHIPMENT.
 2. **PLEASE NOTE THAT ALL PURCHASE ORDERS AND PAYMENTS MUST BE MADE OUT TO REPUBLIC LAGUN MACHINE TOOL CO.**
 3. DELIVERY: STOCK (SUBJECT TO PRIOR SALE) OR TO APPROXIMATELY 60-90 DAYS AFTER RECEIPT OF FORMAL P.O. AND DOWN PAYMENT.
 4. TERMS: 30% DOWN PAYMENT, BALANCE NET 30 DAYS OAC.
 5. TARIFFS: 20% TARIFF ALREADY INCLUDED. WE RESERVE THE RIGHT TO ADJUST THE TARIFF AMOUNT CHARGED, UP OR DOWN, DEPENDING ON THE ACTUAL TARIFF AMOUNT ACCESSED BY USA CUSTOMS. THIS REVISED AMOUNT WILL BE REFLECTED ON THE FINAL INVOICE.
 6. WARRANTY ONE YEAR OR 2,000 HOURS FROM DATE OF INSTALLATION, (SINGLE SHIFT) WHICHEVER OCCURS FIRST.
 7. TRAINING: START-UP & BASIC TRAINING ON FUNDAMENTALS AT CUSTOMER SITE BY LAGUN (OPTIONAL CHARGE), OR TWO (2) WORKING DAYS FREE AT OUR HARBOR CITY-CALIFORNIA PLANT (AIR TICKET AND PER DIEM EXPENSES TO BE PAID BY END USER). EXTRA TRAINING BASED ON \$185 PER HOUR PLUS AIRFARE & EXPENSES.
 8. ELECTRICS: THE MACHINE OFFERED IN THIS QUOTATION IS EQUIPPED WITH FACTORY STANDARD ELECTRICS DEEMED SUITABLE FOR GENERAL PURPOSE USE AND DOES NOT PURPORT TO MEET ANY PARTICULAR STANDARD OR CODE UNLESS SPECIFICALLY STATED. IN THE INSTANCE WHERE ELECTRICS OTHER THAN THE FACTORY'S STANDARDS ARE REQUESTED, PLEASE CONTACT US AND WE WILL QUOTE ACCORDINGLY.
 9. ANY ORDER RESULTING FROM THIS PROPOSAL IS SUBJECT TO REPUBLIC-LAGUN MACHINE TOOL CO. TERMS & CONDITIONS #R-L CNC/TC-08 WHICH ARE INCORPORATED IN THIS PROPOSAL. (SEE PAGE 23)
 10. SAFETY:
 - A. REPUBLIC LAGUN HAS AVAILABLE CERTAIN SAFETY SHIELDS AND GUARDS APPLICABLE TO OUR MACHINES THAT WE BELIEVE MAY MEET THE INTENT OF OSHA AND THAT MAY BE APPROPRIATE FOR YOUR APPLICATION. PLEASE CONTACT US FOR STYLES, TYPES, AND PRICING.
 - B. CUSTOMER NEEDS TO CHECK WITH LOCAL OSHA CODES TO ENSURE COMPLIANCE.
 - C. SAFEGUARDING FOR PROTECTION AT THE POINT OF OPERATION CAN ONLY BE DESIGNED AND CONSTRUCTED WHEN THE PARAMETERS OF THE PARTICULAR APPLICATION HAVE BEEN DETERMINED. AS A RESULT, ANSI B-11 SAFETY STANDARDS STATES: "IT SHALL BE THE RESPONSIBILITY OF THE END-USER (BUYER) TO PROVIDE AND ENSURE THE USE OF A GUARD, GUARDING DEVICE, AWARENESS BARRIER, AWARENESS DEVICE OR SHIELD."
1. PRICES ARE VALID FOR 30 DAYS.
 2. PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
 3. LAGUN ACCEPTS NO RESPONSIBILITY FOR ANY POSSIBLE PRINTING OR TYPING ERRORS AND RESERVES THE RIGHT TO INCLUDE ANY MODIFICATION TO THE CHARACTERISTICS OF THE PRODUCTS WITH NO PRIOR NOTICE.
 4. IN THIS CONFIGURATION, THERE ARE PICTURES OF SOME ACCESSORIES THAT ARE NOT STANDARD.

***OTHER OPTIONS AND ACCESSORIES ARE AVAILABLE UPON REQUEST.**



TERMS AND CONDITIONS OF SALE

GENERAL

THESE TERMS AND CONDITIONS OF SALE AND ANY ATTACHMENTS GOVERN THE SALE OF THE PRODUCTS PURCHASED HEREUNDER AND PREVAIL OVER ANY CONFLICTING OR INCONSISTENT TERMS AND CONDITIONS APPEARING ON ANY PURCHASE ORDER SUBMITTED BY THE BUYER. THE SELLER'S ACKNOWLEDGEMENT AND ACCEPTANCE OF THE BUYER'S PURCHASE ORDER IS EXPRESSLY MADE CONDITIONAL ON ASSENT TO THESE TERMS AND CONDITIONS OF SALE. NO CHANGE OR MODIFICATION OF THESE TERMS AND CONDITIONS OF SALE SHALL BE VALID OR BINDING ON EITHER PARTY, UNLESS ANY AND ALL CHANGES ARE SUBMITTED IN WRITING AND SIGNED BY AN AUTHORIZED REPRESENTATIVE OF EACH PARTY.

ACCEPTANCE OF ORDERS

ALL ORDERS ARE SUBJECT TO CREDIT APPROVAL AND ACCEPTANCE BY THE SELLER AT IT'S MAIN OFFICE, OR AT THE SUPPLYING FACTORY, WHICHEVER SHALL BE THE PLACE OF PERFORMANCE. ALL OTHERS MUST CLEARLY STATE THE NAME AND ADDRESS OF PURCHASER, SHIPPING INSTRUCTIONS AND ALL PRODUCT OR SERVICE SPECIFICATIONS, WHICH THE SELLER IS EXPECTED TO COMPLY. THE SELLER'S PURCHASE ORDER ACKNOWLEDGEMENT CONSTITUTES ACCEPTANCE OF THE BUYER'S PURCHASE ORDER UPON THE TERMS AND CONDITIONS SPECIFIED IN THE ACKNOWLEDGEMENT AND THESE TERMS AND CONDITIONS OF SALE.

PRICES

THE PROPOSAL PRICES AND SPECIFICATIONS ARE FOR ACCEPTANCE WITHIN THE PERIOD OF 60 DAYS FROM THE DATE OF THIS PROPOSAL. ALL PRICES ARE DDP PORT OF ENTRY IN THE UNITED STATES, UNLESS OTHERWISE STATED IN THE PROPOSAL. THE PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE TO THE BUYER AT ANY TIME PRIOR TO ACCEPTANCE OF THE BUYER'S ORDER BY THE SELLER'S HOME OFFICE OR FACTORY. IF NORMAL CONDITIONS PREVAIL, PRICE INCREASES BEYOND THE SELLER'S CONTROL AS A RESULT OF CURRENCY RATE FLUCTUATIONS OF THE DOLLAR, SHALL BE PASSED ON TO THE BUYER AND THE SELLER SHALL HAVE THE RIGHT TO CANCEL THIS AGREEMENT IN THE EVENT THE BUYER IS UNWILLING TO ACCEPT SUCH INCREASE. THE PRICES BECOME FIRM UPON THE SELLER'S ACCEPTANCE OF THE BUYER'S ORDER, EVIDENCED BY THE SELLER SENDING ITS ACKNOWLEDGEMENT FORM TO THE BUYER. THE PREPAYMENT OF FREIGHT BY THE SELLER WILL NOT CONVERT THIS AGREEMENT TO F.O.B. DESTINATION. RATHER, THE SELLER WILL BE CONSIDERED TO HAVE ADVANCED THE FREIGHT CHARGES ON BEHALF OF THE BUYER. THE PRICES ARE BASED UPON THE SHIPMENT OF THE PRODUCTS WITHIN THE UNITED STATES.

TAXES

THE PRICES STATED ARE EXCLUSIVE OF FEDERAL, STATE, LOCAL SALES, USE, EXCISE, VALUED ADDED AND/OR SIMILAR TAXES. HOWEVER, THE PRICES ARE INCLUSIVE OF THE UNITED STATES IMPORT DUTY TAXES. SUCH TAXES IMPOSED ON THE SELLER OR WHICH THE SELLER HAS A DUTY TO COLLECT IN CONNECTION WITH THE SALE OR DELIVERY OF THE PRODUCTS DESCRIBED ON ANY ATTACHMENT SHALL BE PAID BY THE BUYER AND WILL APPEAR AS SEPARATE ITEMS ON THE INVOICE.

MACHINE DELIVERY

UNLESS OTHERWISE STATED WITHIN THE PROPOSAL, THE QUOTED MACHINE'S DELIVERY FOR THE BUYER'S ACCEPTANCE AT THE MANUFACTURER'S FACILITY IS 14 TO 16 MONTHS. THE DELIVERY IS SUBJECT TO CREDIT APPROVAL, MACHINE CONTENT AND PRIOR SALES. THEREFORE, ALL DELIVERY SCHEDULES MUST BE RECONFIRMED AT THE TIME OF ORDER PLACEMENT. ANY PROPOSED SHIPMENT DATE IS AN ESTIMATE AND NOT A GUARANTEE OF A PARTICULAR DELIVERY DATE. THE BUYER IS RESPONSIBLE FOR THE INSURANCE, TRANSPORTATION AND ANY DAMAGES, WHICH MAY HAVE BEEN CAUSED AFTER EQUIPMENT HAS LEFT THE F.O.B. POINT. THE BUYER IS ALSO RESPONSIBLE FOR THE UNPACKING AND ERECTION EQUIPMENT AFTER DELIVERY. THE SELLER WILL MAKE EVERY REASONABLE EFFORT TO



MEET ANY DELIVERY DATES QUOTED; HOWEVER, THE SELLER WILL NOT BE LIABLE FOR ANY SPECIAL INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM DELIVERY DELAYS OR INABILITY TO DELIVER. THE BUYER'S ACCEPTANCE OF GOODS DELIVERED HEREUNDER SHALL CONSTITUTE A COMPLETE WAIVER OF ANY AND ALL CLAIMS, WHICH THE BUYER MAY HAVE AGAINST THE SELLER FOR DAMAGES, COSTS OR EXPENSES RESULTING FROM LATE DELIVERY OF THE GOODS. THE BUYER SHALL ASSUME ALL RISK AND LIABILITY FOR LOSS OF DAMAGE AFTER DELIVERY TO THE CARRIER.

PAYMENT TERMS

THE PAYMENT TERMS, UNLESS OTHERWISE STIPULATED, ARE DESCRIBED HEREIN. INVOICES PAST DUE ARE SUBJECT TO A 3% PER MONTH SERVICE CHARGE. THE BUYER SHALL REFRAIN FROM MAKING ANY UNAUTHORIZED DEDUCTIONS FROM PAYMENTS TO THE SELLER. THE FOLLOWING ARE THE PAYMENT TERMS:

- THESE TERMS APPLY TO ANY ORDER THAT EXCEEDS \$150,000.
- 30% DOWN PAYMENT WITH THE BUYER'S FORMAL PURCHASE ORDER
- 30% AT THE START OF PURCHASING OF MATERIALS FOR MANUFACTURING
- 20% AT THE START OF THE MACHINE ASSEMBLY
- 10% UPON APPROVAL TO SHIP TO THE BUYER'S FACILITY
- 5% UPON RECEIPT OF THE MACHINE AT THE BUYER'S FACILITY
- 5% NET 30 DAYS FROM INSTALLATION

IF AT ANY TIME THE SELLER DETERMINES THAT THE FINANCIAL CONDITION OF THE BUYER DOES NOT JUSTIFY THE TERMS OF PAYMENT EXTENDED HEREIN, THE SELLER MAY REQUIRE FULL OR PARTIAL PAYMENT IN ADVANCE OR SHALL HAVE THE RIGHT TO CANCEL ANY PURCHASE ORDER AND SHALL RECEIVE REIMBURSEMENT FOR IT'S REASONABLE AND PROPER CANCELLATION CHARGES. THE SELLER SHALL HAVE THE RIGHT TO CANCEL ANY PURCHASE ORDER IN THE EVENT OF BANKRUPTCY, VOLUNTARY OR INVOLUNTARY, OR INSOLVENCY PROCEEDINGS BROUGHT AGAINST THE BUYER, OR IF THE BUYER MAKES AN ASSIGNMENT FOR THE BENEFIT OF CREDITORS.

CANCELLATION

ACCEPTED ORDERS MAY NOT BE CANCELLED UNLESS AGREED TO IN WRITING. WHERE THERE IS A CANCELLATION, THE BUYER WILL BE SUBJECT TO PAYMENT OF ALL COSTS, EXPENSES AND CANCELLATION CHARGES BASED ON FOLLOWING:

- CANCELLATION OF THE MACHINE(S), ACCESSORIES AND OR PARTS AFTER THE AUTHORITY TO PROCEED AND WITHIN THE 1ST MONTH WILL BE SUBJECT TO A CHARGE PAYABLE BY THE BUYER OF 18% AND FOR EACH ADDITIONAL WEEK THEREAFTER A CHARGE OF 3% WILL BE CHARGED TO THE BUYER.
- THIS CANCELLATION LIABILITY REFLECTS THE TOTAL PERCENTAGE OF THE BUYER'S TOTAL PURCHASE ORDER PRICE. THESE CHARGES ARE ADDITIVE AND WILL BE INVOICED TO THE BUYER IN THE EVENT OF CANCELLATION OF ALL OR ANY PART OF THE CONTRACT AT ANY TIME.

TITLE AND LIEN RIGHTS

TITLE TO THE EQUIPMENT SHALL REMAIN WITH THE SELLER, UNTIL THE PURCHASE PRICE HAS BEEN PAID IN FULL. THE MACHINE SHALL BE DEEMED TO BE ACCEPTED 30 DAYS AFTER INSTALLATION, UNLESS WE RECEIVE WRITTEN NOTIFICATION OF REJECTION FOR CAUSE FROM THE BUYER WITHIN 14 DAYS AFTER INSTALLATION, OR UPON THE DATE THE PRODUCT IS FIRST USED IN PRODUCTION, WHICHEVER IS EARLIER.

FORCE MAJEURE

THE SELLER WILL NOT BE LIABLE FOR FAILURE OR DELAY IN THE PERFORMANCE OF ORDERS OR CONTRACTS, OR PARTIAL PERFORMANCE THEREOF, IF SUCH FAILURE OR DELAY IS DUE TO AN ACT OF GOD, WAR, RIOTS, FIRE, EXPLOSION, FLOOD, CIVIL COMMOTION, INSURRECTION, STRIKE, LABOR DIFFICULTIES LOCKOUT, INJUNCTION, EARTHQUAKE, STORM, EMBARGO, INABILITY TO OBTAIN FUEL, POWER, RAW MATERIALS, LABOR, CONTAINERS OR TRANSPORTATION FACILITIES, ACCIDENT, BREAKAGE OF MACHINERY OR APPARATUS, NATIONAL DEFENSE REQUIREMENTS, OR ANY OTHER CAUSES BEYOND THE SELLER'S CONTROL. THE SELLER WILL HAVE THE RIGHT, IN THE EVENT OF THE HAPPENING OF SUCH CONTINGENCIES, AT ITS OPTION, EITHER TO CANCEL THE CONTRACT OR ANY PART THEREOF, OR TO EXTEND THE CONTRACT TO INCORPORATE THE WHOLE DURATION OF ANY FORCE MAJEURE THAT MAY OCCUR BEFORE THE CONTRACT DELIVERY DATE WITHOUT ANY LIABILITY TO THE SELLER.

**OSHA**

THE SELLER WARRANTS THAT THE EQUIPMENT FURNISHED HEREUNDER SHALL, TO EXTENT SUCH EQUIPMENT IS USED IN ACCORDANCE WITH SELLER'S INSTRUCTIONS; COMPLY WITH SAFETY EQUIPMENT REQUIREMENTS OF THE OCCUPATIONAL SAFETY AND HEALTH ACT OF 1970 REGULATIONS, AS AMENDED IN EFFECT ON THE DATE OF THE SELLER'S PROPOSAL. THE SELLER SHALL NOT BE RESPONSIBLE FOR FAILURE TO COMPLY WITH OSHA REQUIREMENTS RESULTING FROM THE LOCATION, OPERATION, USE OR MAINTENANCE OF THE EQUIPMENT BY PERSONS OTHER THAN THE SELLER OR FROM AN OPTION OR ACCESSORY ATTACHED TO THE EQUIPMENT BY PERSONS OTHER THAN THE SELLER OR FROM AN OPTION OR ACCESSORY TO THE EQUIPMENT, WHICH WAS AVAILABLE TO THE BUYER, BUT OMITTED AT THE BUYER'S DIRECTION, OR FROM DESIGN INSTRUCTIONS FURNISHED BY THE BUYER. THE SELLER'S RESPONSIBILITY FOR BREACH OF THIS WARRANTY IS LIMITED TO MODIFICATION OR REPLACEMENT OF THE EQUIPMENT CITED AS VIOLATING THE OSHA REQUIREMENTS. THE REMEDIES AND WARRANTY PROVIDED HEREIN, ARE THE ENTIRE AND EXCLUSIVE RESPONSIBILITY OF THE SELLER WITH RESPECT TO THE OSHA REQUIREMENTS.

SHIPMENT, RISK OF LOSS

DELIVERIES ARE F.O.B. SHIPPING POINT AND THE PRICES QUOTED DO NOT INCLUDE FREIGHT OR INSURANCE. TITLE AND RISK OF LOSS SHALL PASS TO THE BUYER UPON TENDER OF THE PRODUCTS BY THE SELLER TO A COMMON CARRIER. IN THE ABSENCE OF SPECIFIC WRITTEN INSTRUCTION FROM THE BUYER, THE SELLER MAY SELECT A COMMON CARRIER, BUT THE SELLER SHALL NOT THEREBY ASSUME ANY LIABILITY IN CONNECTION WITH SHIPMENT. THE BUYER SHALL BE RESPONSIBLE FOR ANY FREIGHT CHARGE AND ANY INSURANCE CHARGE. IF THE PRODUCTS ARE SHIPPED FREIGHT PREPAID, THE BUYER SHALL PAY THE SELLER THE APPROPRIATE FREIGHT AND INSURANCE CHARGES, WHICH WILL BE SHOWN AS SEPARATE ITEMS ON THE INVOICE. ALL PRODUCTS WILL BE PACKED IN ACCORDANCE WITH STANDARD COMMERCIAL PRACTICES FOR DOMESTIC SHIPMENT.

LIMITED WARRANTY

THE SELLER WARRANTS THAT ALL PRODUCTS DELIVERED UNDER THIS PURCHASE ORDER ARE WARRANTED TO BE FREE FROM DEFECTIVE MATERIAL AND WORKMANSHIP FOR A PERIOD OF 1 YEAR FROM THE DATE OF SHIPMENT OR 2112 HOURS. THIS IS BASED ON 8 HOURS A DAY AND 22 DAYS A MONTH, WHICHEVER COMES FIRST, UNDER NORMAL AND PROPER USAGE, OWNED BY THE ORIGINAL PURCHASER, AND NOT ALTERED DURING THE WARRANTY PERIOD. PARTS FOUND TO BE DEFECTIVE BY OUR INSPECTION WILL BE REPAIRED OR REPLACED AT NO CHARGE, F.O.B. OUR FACTORY, PROVIDED THE DEFECTIVE PART IS SHIPPED TO US, FREIGHT PREPAID. THE SELLER IS NOT RESPONSIBLE FOR ANY USAGE FOR WHICH THE MACHINE WAS NOT DESIGNED. THE WARRANTY SHALL AUTOMATICALLY BE NULLIFIED IN THE EVENT OF A COLLISION OR CRASH OF THE MACHINE OR ANY UNAUTHORIZED OR IMPROPER USE OF PARTS, ACCESSORIES OR ADAPTATIONS, AS WELL AS ANY UNAUTHORIZED PARTIAL OR TOTAL

DISASSEMBLY OF ANY PART OF THE MACHINE. IT IS THE SOLE RESPONSIBILITY OF THE BUYER TO TRAIN AND EDUCATE THE OPERATION(S) IN THE PROPER USE, OPERATION, AND SAFETY PROCEDURES RELATED TO OPERATING THE MACHINE. FOR A 1 YEAR PERIOD TO THE BUYER, EXCEPT ELECTRICS, ATTACHMENTS, OR ACCESSORY ITEMS NOT MANUFACTURED BY THE SELLER, IN WHICH CASE THE WARRANTY FURNISHED BY SUCH SUPPLIERS, SHALL BE PASSED THROUGH TO THE BUYER. THE SELLER'S OBLIGATIONS UNDER THIS WARRANTY ARE LIMITED TO REPLACING OR REPAIRING OR GIVING CREDIT FOR, AT IT'S OPTION, AT IT'S FACTORY, AND OF SAID PRODUCTS WHICH SHALL, WITHIN 1 YEAR AFTER DELIVERY TO THE BUYER BE RETURNED TO THE SELLER'S FACTORY OF ORIGIN, TRANSPORTATION CHARGES PREPAID AND WHICH ARE DETERMINED TO BE DEFECTIVE.

THIS WARRANTY IS EXPRESSED IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED, STATUTORY, OR IMPLIED INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE, AND OF ALL OTHER OBLIGATIONS OR LIABILITIES ON THE SELLER'S PART AND IT NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR THE SELLER ANY OTHER LIABILITIES IN CONNECTION WITH THE SALE OF SAID ARTICLES. THIS WARRANTY SHALL NOT APPLY TO ANY OF SUCH PRODUCTS WHICH SHALL HAVE BEEN REPAIRED OR ALTERED, EXCEPT BY THE SELLER OR ITS AUTHORIZED SERVICE CENTERS OR WHICH HAVE BEEN SUBJECTED TO MISUSE, NEGLIGENCE, OR ACCIDENT. THE AFOREMENTIONED PROVISIONS DO NOT EXTEND THE ORIGINAL WARRANTY PERIOD OF ANY PRODUCT WHICH HAS EITHER BEEN REPAIRED OR REPLACED BY THE SELLER.

THE BUYER IS RESPONSIBLE FOR THE TRANSPORTATION AND ANY DAMAGES, WHICH MAY HAVE OCCURRED AFTER THE PRODUCT HAS LEFT THE F.O.B. POINT, NOT THE SELLER. IN THE EVENT OF THE PRODUCT BEING DAMAGED DURING TRANSIT TO THE BUYER'S FACILITY, THE SELLER REQUIRES A SEPARATE SERVICE INVOICE FOR DAMAGE ASSESSMENT. THE DAMAGE ASSESSMENT PROPOSAL WILL BE ISSUED BY THE SELLER AND MUST BE USED AS PROOF OF DAMAGES



FOR INSURANCE PURPOSES. UNDER NO CIRCUMSTANCES WILL THE SELLER ACCEPT THE RETURN OF THE DAMAGED PRODUCT, WITHOUT THE DAMAGE ASSESSMENT AND WRITTEN AUTHORIZATION FROM THE INSURANCE CARRIER THAT ALL DAMAGES WILL BE PAID IN FULL.

LIMITATIONS

ACCEPTANCE OF THE EQUIPMENT SHALL CONSTITUTE WAIVER OF ALL CLAIMS FOR DAMAGES CAUSED BY DELAY IN SHIPMENT OR DAMAGES TO THE EQUIPMENT. ANY USE OF THE EQUIPMENT FOR ANY PURPOSE WHATSOEVER BY THE BUYER SUBSEQUENT TO THE MACHINE'S INSTALLATION SHALL BE CONCLUSIVE EVIDENCE OF ACCEPTANCE. IT IS UNDERSTOOD THAT THE FOREGOING WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES AND THAT THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND NO IMPLIED WARRANTY, WHICH EXTENDS BEYOND THE DESCRIPTION OF THE EQUIPMENT. THE SELLER SHALL NOT BE RESPONSIBLE FOR ANY INDIRECT OR CONSEQUENTIAL DAMAGES OF THE BUYER IN CONNECTION HERewith, SUCH AS LOSS OF PRODUCTION, LOSS OF ANTICIPATED SAVINGS OR ANTICIPATED PROFITS, OR DAMAGES OF ANY THIRD PARTY ASSERTED AGAINST THE BUYER. THE SELLER SHALL IN NO EVENT AND FOR NO CAUSE WHATSOEVER, INCLUDING ANY BREACH OR DEFAULT BY THE SELLER, BE RESPONSIBLE FOR DAMAGES OF THE PERTINENT ITEM OR ITEMS OF THE EQUIPMENT. THE REMEDIES PROVIDED HEREIN ARE THE BUYER'S SOLE AND EXCLUSIVE REMEDIES. IN NO EFFECT SHALL SELLER BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OR PROFITS, WHETHER BASED ON CONTRACT, TORT, OR ANY OTHER LEGAL THEORY.

GOVERNING LAW

IN THE EVENT OF A DISPUTE BETWEEN THE PARTIES HERETO, WHICH THEY CANNOT RESOLVE THEMSELVES, SAID DISPUTE WILL BE SUBMITTED TO BINDING ARBITRATION AT JUDICATE WEST, LONG BEACH, CALIFORNIA, TO BE HEARD BY A RETIRED SUPERIOR COURT JUDGE PURSUANT TO THE RULES AND REGULATIONS OF JUDICATE WEST AND SUBJECT TO THE LAWS OF THE STATE OF CALIFORNIA. THE ARBITRATOR SHALL HAVE THE AUTHORITY TO AWARD COSTS OF ARBITRATION AND ATTORNEYS' FEES TO THE PREVAILING PARTY, IF ANY, IN SAID ARBITRATION. ANY AWARD OF ARBITRATOR MAY BE ENFORCEABLE BY JUDGMENT OF CALIFORNIA STATE COURT.

R-LMTC/TC-08